



Thinvent Aero Mini PC

AMD Ryzen 5 7430U processor

6 core, up to 4.3 GHz, 16 MB cache

64GB DDR4 RAM (2 x 32GB)

2TB SSD

No WiFi

Thinux Embedded Linux

SKU: AERO-R5_7-32_32-M2048-19_3-X-THINUX-0



Quietly powerful, endlessly reliable.

Ideal for embedded applications where space is tight but performance matters

- A compact yet robust mini PC that fits discreetly into kiosks, digital signage, or industrial control panels
- Powered by AMD's efficient Ryzen 5 processor, delivering responsive multitasking for point-of-sale, thin client, or light server workloads
- Ships with Thinvent's own Thinux™ Embedded Linux, a streamlined OS pre-loaded with essential tools for remote management, web browsing, and document editing
- Eliminates the cost and complexity of Windows licensing while providing a stable, secure platform for your specific application
- Plenty of connectivity options including USB-C, dual video outputs, and gigabit Ethernet to integrate with legacy and modern peripherals

- The powder-coated steel and ABS housing stands up to demanding environments, while the fanless design keeps operation silent and maintenance-free
- Compact dimensions let you mount it behind a display or tuck it into a rack without sacrificing performance

Why choose Thinvent? Because we understand that your application is unique. We build industrial-grade systems tailored to your needs, with the flexibility to configure exactly what you require – no more, no less. The Aero Mini PC gives you a dependable, long-lasting foundation for your business-critical tasks, backed by British engineering and worldwide support.

Ready to streamline your operations? This is the workhorse you can trust, day in and day out.



Thinvent Aero Mini PC



Specifications

PROCESSING

Generation	7000 Series
Series	Ryzen 5
Processor Brand	AMD
Processor Model	7430U
Cores	6
Max Frequency	4.3 GHz
Cache	16 MB
Main Memory	64 GB
SSD Storage	2048 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1
Front Speaker Out	1
Front Mic In	1

CONNECTIVITY

USB 3.2 Gen 1	2
USB 2.0	2
Front USB 2.0	4
Front USB C	1

NETWORKING

Ethernet	1000 Mbps
----------	-----------

POWER

DC Voltage	19 Volts
DC Current	3 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 35°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Mini PC
Dimensions	198mm × 187mm × 40mm
Housing Material	Steel and ABS Plastic
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.16kg, 1.16kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Ordering Information

PRODUCT CODE

Aero-r5_7-[RAM]-[SSD]-19_3-[Wireless]-[OS]-[Accessories]

RAM

4 = 4GB DDR4

8 = 8GB DDR4

16 = 16GB DDR4

32 = 32GB DDR4

32_32 = 64GB
DDR4 RAM (2 x
32GB)16_16 = 32GB
DDR4 RAM (2 x
16GB)8_8 = 16GB DDR4
RAM (2 x 8GB)

SSD

m128 = 128GB

m512 = 512GB

m2048 = 2TB

S128 = 128GB

m256 = 256GB

m1024 = 1TB

S32 = 32GB MLC

S256 = 256GB

Wireless

m = Dual Band WiFi

X = No WiFi

OS

DOS = DOS

11V = Windows 11 IoT Value

110 = Windows 11 Professional

U = Ubuntu Linux

W_OS = Without OS

11P = Windows 11 Pro

Thinix = Thinix™ Embedded Linux

Accessories

0 = None

MK = Mechanical Keyboard

KM = Keyboard and Mouse set

Mo = Wired Optical Scroll Mouse

www.thinvent.insales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

