



# Thinvent Neo H Mini PC

## Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

## 4GB DDR4 RAM

## 128GB SSD

## Dual Band WiFi

## Windows 11 Pro

## DB9 Serial

SKU: H-I3\_12-4-M128-12\_5-M-11P-1S



Unleash unparalleled power for industrial mastery.

Introducing the Thinvent® Neo H Mini PC, the High Performance version of our bestselling Neo series, engineered for demanding industrial environments. As our largest and most robust model, it's a true workhorse, 100% designed and made in India with a solid steel construction. Suitable for industrial control and similar applications.

### Performance Redefined

- Experience lightning-fast processing with the Intel® Core™ i3-1215U processor, featuring 6 cores and speeds up to 4.4 GHz, backed by a generous 10 MB cache.
- Multitask effortlessly and handle intensive applications with 32GB DDR4 RAM.
- Enjoy rapid boot times and quick access to data from the responsive 128GB SSD, all running on the secure and feature-rich Microsoft Windows 11 Pro.

### Industrial Connectivity Hub

- Connect everything you need with 2x USB 3.2 and 2x USB 2.0 ports.

- Essential for industrial control, it includes a dedicated DB9 male RS232 serial port.
- Benefit from dual display capabilities with HDMI and VGA outputs, along with speaker out and mic in.
- Stay connected with reliable 1000 Mbps Ethernet and dual-band Wi-Fi 5 (802.11ac) for flexible networking.

### Built to Endure

- Housed in a durable black powder-coated steel chassis (210mm x 202mm x 80mm), this Mini PC is built for longevity.
- Operating flawlessly from 0°C to 40°C, it's ready for challenging conditions.
- Certified with BIS, RoHS, and ISO, ensuring quality and compliance, powered by a robust 12V 7A adapter.

The Thinvent Neo H Mini PC is your ultimate solution for applications requiring peak performance and unwavering reliability.

# Thinvent Neo H Mini PC



## Specifications

### PROCESSING

---

Generation	12th
Series	i3
Processor Brand	Intel
Processor Model	1215U
Cores	6
Max Frequency	4.4 GHz
Cache	10 MB
Main Memory	4 GB
SSD Storage	128 GB

### DISPLAY

---

HDMI	1
VGA	1

### AUDIO

---

Speaker Out	1
Mic In	1

### CONNECTIVITY

---

USB 3.2	2
USB 2.0	2
Serial Port	1 DB9 male RS232
RS485 Option	1

### NETWORKING

---

Ethernet	1000 Mbps
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

### POWER

---

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

### ENVIRONMENTAL

---

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

### PHYSICAL

---

Form Factor	Mini PC
Dimensions	210mm × 202mm × 80mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.69kg, 2.11kg

### OPERATING SYSTEM

---

Operating System	Microsoft Windows 11 Pro
------------------	--------------------------

## Ordering Information

PRODUCT CODE			
<b>H-i3_12-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]</b>			
<b>RAM</b>	<b>4</b> = 4GB DDR4	<b>8</b> = 8GB DDR4	<b>16</b> = 16GB DDR4
	<b>64</b> = 64GB DDR4		<b>32</b> = 32GB DDR4
<b>SSD</b>	<b>m128</b> = 128GB		<b>m256</b> = 256GB
	<b>m32</b> = 32GB		<b>m512</b> = 512GB
	<b>m1024</b> = 1TB		<b>S32</b> = 32GB MLC
	<b>S128</b> = 128GB		<b>S256</b> = 256GB
<b>Wireless</b>	<b>m</b> = Dual Band WiFi		<b>X</b> = No WiFi
<b>OS</b>	<b>DOS</b> = DOS		<b>W_OS</b> = Without OS
	<b>11V</b> = Windows 11 IoT Value		<b>11P</b> = Windows 11 Pro
	<b>Thinix</b> = Thinix™ Embedded Linux		<b>U</b> = Ubuntu Linux
<b>Accessories</b>	<b>0</b> = None		<b>KM</b> = Keyboard and Mouse set
	<b>1S</b> = DB9 Serial		<b>MK</b> = Mechanical Keyboard
	<b>Mo</b> = Wired Optical Scroll Mouse		

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

**R&D and Manufacturing**  
 #11 Sports Complex  
 Salvador Do Mundo  
 North Goa - 403101, India

**Sales**  
 UGF-10-A Omaxe Gurgaon Mall  
 Sector 49, Sohna Road  
 Gurgaon - 122018, India

