

Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

8GB DDR4 RAM

1TB SSD

No WiFi

Without OS

Thinvent Keyboard and Mouse set

SKU: H-I3_12-8-M1024-12_5-X-W_OS-KM



Unleash Industrial Power: The Thinvent® Neo H Mini PC.


Experience unparalleled performance with the Thinvent® Neo H Mini PC, the high-performance evolution of our bestselling Neo model. Engineered as an industrial workhorse, this is our largest Mini PC yet, packed with a formidable Intel® Core™ i3-1215U processor featuring 6 cores that reach up to 4.4 GHz with a 10 MB cache, ensuring robust multitasking and demanding application handling. Paired with 8GB DDR4 RAM and a lightning-fast 1TB SSD, your workflows will be smoother and faster than ever.

Designed for demanding environments, the Neo H boasts a durable steel housing with a sleek black powder coating, measuring a compact 210mm × 202mm × 80mm. Connectivity is paramount, with a rich array of ports including 1x HDMI, 1x VGA, 2x USB 3.2, 2x USB 2.0, and a 1000 Mbps Ethernet port for reliable networking. Essential audio jacks for speaker out and mic in are also included.

This powerhouse comes with a 12V 7A adapter and a 2-meter power cable, designed to operate reliably between 0°C and 40°C. For your convenience, a Thinvent® Keyboard and Mouse set is included. Please note, this model does not include WiFi or an operating system, offering you the flexibility to customize your setup. Certified with BIS, RoHS, and ISO standards, and 100% designed and made in India, the Thinvent® Neo H Mini PC is your ultimate solution for industrial control and beyond.

Key Specifications

- Processor: Intel® Core™ i3-1215U
- Cores: 6
- Max Frequency: 4.4 GHz
- Cache: 10 MB
- Main Memory: 8 GB DDR4
- SSD Storage: 1024 GB
- HDMI: 1
- VGA: 1
- Speaker Out: 1
- Mic In: 1
- USB 3.2: 2
- USB 2.0: 2
- Ethernet: 1000 Mbps
- Power Adapter: 12V 7A
- Power Input: 100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum
- Cable Length: 2 Metre
- Operating Temperature: 0°C ~ 40°C
- Operating Humidity: 20% ~ 80% RH, non condensing
- Certifications: BIS, RoHS, ISO
- Dimensions: 210mm × 202mm × 80mm
- Housing Material: Steel
- Housing Finish: Power Coating
- Housing Colour: Black
- Included Peripherals: Thinvent® Keyboard and Mouse set
- Operating System: Without OS





Thinvent Neo H Mini PC



Specifications

PROCESSING

Generation	12th
Series	i3
Processor Brand	Intel
Processor Model	1215U
Cores	6
Max Frequency	4.4 GHz
Cache	10 MB
Main Memory	8 GB
SSD Storage	1024 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
USB 2.0	2
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
----------	-----------

POWER

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Mini PC
Dimensions	210mm × 202mm × 80mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	2.21kg, 2.63kg

ACCESSORIES

Keyboard and Mouse	1
--------------------	---

OPERATING SYSTEM

Operating System	Without OS
------------------	------------

Ordering Information

PRODUCT CODE	
H-i3_12-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]	
RAM	4 = 4GB DDR4 8 = 8GB DDR4 16 = 16GB DDR4 32 = 32GB DDR4 64 = 64GB DDR4
SSD	m128 = 128GB m256 = 256GB m32 = 32GB m512 = 512GB m1024 = 1TB S32 = 32GB MLC S128 = 128GB S256 = 256GB
Wireless	m = Dual Band WiFi X = No WiFi
OS	DOS = DOS W_OS = Without OS 11V = Windows 11 IoT Value 11P = Windows 11 Pro Thinix = Thinix™ Embedded Linux U = Ubuntu Linux
Accessories	0 = None KM = Keyboard and Mouse set 1S = DB9 Serial MK = Mechanical Keyboard Mo = Wired Optical Scroll Mouse

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing
 #11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
 UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

