



# Thinvent Neo H Mini PC

## Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

## 8GB DDR4 RAM

## 128GB SSD

## No WiFi

## Thinix Embedded Linux

SKU: H-I3\_12-8-M128-12\_5-X-THINUX-0



Unleash Industrial Power: The Neo H Mini PC for Unyielding Performance.

Introducing the Thinvent® Neo H Mini PC: the High Performance evolution of our bestselling Neo series. This robust, industrial workhorse is 100% designed and made in India, engineered with a solid steel chassis for unparalleled durability in the most demanding environments. With powerful CPU and RAM configurations, it is our most capable offering in the Neo range.

### Unrivaled Processing Power

Experience seamless operation with the Intel® Core™ i3-1215U processor, featuring 6 cores, a blistering 4.4 GHz max frequency, and a generous 10 MB cache. Paired with 4GB DDR4 RAM and a rapid 128GB SSD, the Neo H delivers quick boot-ups and responsive application handling, making it perfect for industrial control and similar applications.

### Comprehensive Connectivity

Connect effortlessly with a host of options including

- 1 HDMI port
- 1 VGA port
- 2 USB 3.2 ports
- 2 USB 2.0 ports
- 1000 Mbps Ethernet for reliable, high-speed wired networking (Note: No WiFi for enhanced security in sensitive setups)

- Dedicated Speaker Out and Mic In for complete audio integration.

### Thinvent® Thinix™ Embedded Linux

Powering your operations with Thinvent® Thinix™, a secure, robust, and versatile embedded Linux OS. Enjoy

- Chromium and Mozilla Firefox for web browsing
- RDP 10 (RemoteFX, H.264/AVC), Putty, and SSH for secure remote display
- Browser-based remote management and VNC shadowing
- Support for Java, Python, and glibc based location applications
- LibreOffice, PDF viewer, multimedia player, and SIP video/voice over IP.

### Built for Endurance

Designed for continuous operation, this unit boasts

- An operating temperature range of 0°C ~ 40°C
- 20% ~ 80% RH non-condensing operating humidity
- BIS, RoHS, and ISO certifications for peace of mind.

Its compact 210mm × 202mm × 80mm black, powder-coated steel housing ensures longevity and easy integration into any setup. Power it reliably with its 12V 7A adapter.





# Thinvent Neo H Mini PC



## Specifications

### PROCESSING

---

|                 |         |
|-----------------|---------|
| Generation      | 12th    |
| Series          | i3      |
| Processor Brand | Intel   |
| Processor Model | 1215U   |
| Cores           | 6       |
| Max Frequency   | 4.4 GHz |
| Cache           | 10 MB   |
| Main Memory     | 8 GB    |
| SSD Storage     | 128 GB  |

### DISPLAY

---

|      |   |
|------|---|
| HDMI | 1 |
| VGA  | 1 |

### AUDIO

---

|             |   |
|-------------|---|
| Speaker Out | 1 |
| Mic In      | 1 |

### CONNECTIVITY

---

|              |   |
|--------------|---|
| USB 3.2      | 2 |
| USB 2.0      | 2 |
| RS485 Option | 1 |

### NETWORKING

---

|          |           |
|----------|-----------|
| Ethernet | 1000 Mbps |
|----------|-----------|

### POWER

---

|              |  |
|--------------|--|
| DC Voltage   | 12 Volts                                     |
| DC Current   | 5 Amps                                       |
| Power Input  | 100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre                                      |

### ENVIRONMENTAL

---

|                       |                              |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 40°C                   |
| Operating Humidity    | 20% ~ 80% RH, non condensing |
| Certifications        | BIS, RoHS, ISO               |

### PHYSICAL

---

|                      |                       |
|----------------------|-----------------------|
| Form Factor          | Mini PC               |
| Dimensions           | 210mm × 202mm × 80mm  |
| Packing Dimensions   | 340mm × 235mm × 105mm |
| Housing Material     | Steel                 |
| Housing Finish       | Powder Coated         |
| Housing Colour       | Black                 |
| Net and Gross Weight | 1.69kg, 2.11kg        |

### OPERATING SYSTEM

---

|                  |  |
|------------------|--|
| Operating System | Thinvent® Thinux™ Embedded Linux   |
| OS Features      | Chromium and Mozilla Firefox browsers.<br>RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display.<br>Browser based remote management. VNC shadowing.<br>Java, Python and glibc based location application support.<br>LibreOffice and PDF viewer.<br>Multimedia player with MPEG4 support.<br>SIP video and voice over IP. |

## Ordering Information

| PRODUCT CODE  |  |
|---|--|
| <b>H-i3_12-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]</b> |  |
| <b>RAM</b>  | <b>4</b> = 4GB DDR4 <b>8</b> = 8GB DDR4 <b>16</b> = 16GB DDR4 <b>32</b> = 32GB DDR4<br><b>64</b> = 64GB DDR4   |
| <b>SSD</b>  | <b>m128</b> = 128GB <b>m256</b> = 256GB<br><b>m32</b> = 32GB <b>m512</b> = 512GB<br><b>m1024</b> = 1TB <b>S32</b> = 32GB MLC<br><b>S128</b> = 128GB <b>S256</b> = 256GB      |
| <b>Wireless</b>   | <b>m</b> = Dual Band WiFi <b>X</b> = No WiFi   |
| <b>OS</b>   | <b>DOS</b> = DOS <b>W_OS</b> = Without OS<br><b>11V</b> = Windows 11 IoT Value <b>11P</b> = Windows 11 Pro<br><b>Thinix</b> = Thinix™ Embedded Linux <b>U</b> = Ubuntu Linux |
| <b>Accessories</b>  | <b>0</b> = None <b>KM</b> = Keyboard and Mouse set<br><b>1S</b> = DB9 Serial <b>MK</b> = Mechanical Keyboard<br><b>Mo</b> = Wired Optical Scroll Mouse                       |

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

**R&D and Manufacturing**  
 #11 Sports Complex  
 Salvador Do Mundo  
 North Goa - 403101, India

**Sales**  
 UGF-10-A Omaxe Gurgaon Mall  
 Sector 49, Sohna Road  
 Gurgaon - 122018, India

