



Thinvent Neo H Mini PC

Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

Dual LAN

32GB DDR4 RAM

1TB SSD

Dual Band WiFi

Windows 11 IoT Value

DB9 Serial

SKU: H-I3_12L-32-M1024-12_7-M-11V-1S



The Neo H Mini PC: Unleash industrial-grade power in a compact, robust design.

Engineered for the heart of the factory floor

This is the high-performance powerhouse in our bestselling Neo series. Designed as an industrial workhorse, it delivers exceptional reliability and a host of connectivity options to tackle demanding control applications. With its solid steel construction, it's built to endure the rigours of any operational environment.

Why choose the Neo H for your industrial control systems

- Rugged reliability with a 100% designed and made in India solid steel build, ensuring durability where it matters most.
- Powerful processing muscle for seamless multitasking and rapid response in automation, HMI, and data acquisition roles.

- Versatile connectivity with dual LAN ports and a legacy serial port, simplifying integration with both modern and traditional industrial equipment.
- Compact form factor saves crucial space in control cabinets and confined installations without compromising on capability.
- Ready for immediate deployment with a pre-installed, stable operating system, reducing setup time and complexity.

Trust in robust, high-performance computing engineered for continuous operation. The Thinvent Neo H is the steadfast partner for your most critical industrial automation and control challenges.

Thinvent Neo H Mini PC



Specifications

PROCESSING

| | |
|-----------------|---------|
| Generation | 12th |
| Series | i3 |
| Processor Brand | Intel |
| Processor Model | 1215U |
| Cores | 6 |
| Max Frequency | 4.4 GHz |
| Cache | 10 MB |
| Main Memory | 32 GB |
| SSD Storage | 1024 GB |

DISPLAY

| | |
|------|---|
| HDMI | 1 |
| VGA | 1 |

AUDIO

| | |
|-------------|---|
| Speaker Out | 1 |
| Mic In | 1 |

CONNECTIVITY

| | |
|--------------|------------------|
| USB 3.2 | 2 |
| Serial Port | 1 DB9 male RS232 |
| RS485 Option | 1 |

NETWORKING

| | |
|---------------------|-------------------------------|
| Ethernet | 1000 Mbps |
| Ethernet Ports | 2 |
| Wireless Networking | Wi-Fi 5 (802.11ac), dual band |

POWER

| | |
|--------------|--|
| DC Voltage | 12 Volts |
| DC Current | 7 Amps |
| Power Input | 100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre |

ENVIRONMENTAL

| | |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 40°C |
| Operating Humidity | 20% ~ 80% RH, non condensing |
| Certifications | BIS, RoHS, ISO |

PHYSICAL

| | |
|----------------------|-----------------------|
| Form Factor | Mini PC |
| Dimensions | 210mm × 202mm × 80mm |
| Packing Dimensions | 340mm × 235mm × 105mm |
| Housing Material | Steel |
| Housing Finish | Powder Coated |
| Housing Colour | Black |
| Net and Gross Weight | 1.79kg, 2.21kg |

OPERATING SYSTEM

| | |
|------------------|---|
| Operating System | Microsoft Windows 11 IoT Enterprise LTSC 2024 Value |
|------------------|---|

Ordering Information

| PRODUCT CODE | |
|--|--|
| H-i3_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories] | |
| RAM | 4 = 4GB DDR4 8 = 8GB DDR4 16 = 16GB DDR4 32 = 32GB DDR4 64 = 64GB DDR4 |
| SSD | m128 = 128GB m256 = 256GB m32 = 32GB m512 = 512GB m1024 = 1TB S32 = 32GB MLC S128 = 128GB S256 = 256GB |
| Wireless | m = Dual Band WiFi X = No WiFi |
| OS | DOS = DOS W_OS = Without OS 11V = Windows 11 IoT Value 11P = Windows 11 Pro Thinix = Thinix™ Embedded Linux U = Ubuntu Linux |
| Accessories | 0 = None KM = Keyboard and Mouse set 1S = DB9 Serial MK = Mechanical Keyboard Mo = Wired Optical Scroll Mouse |

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing
 #11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
 UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

