



Thinvent Neo H Mini PC

Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

Dual LAN

64GB DDR4 RAM (2 x 32GB)

32GB MLC SSD

No WiFi

Thinux Embedded Linux

SKU: H-I3_12L-32_32-S32-12_7-X-THINUX-0



Power Through Industrial Demands with Pure Reliability.

The Thinvent® Neo H Mini PC is engineered to be the resilient heart of your operation. This isn't just a computer; it's a durable industrial partner, 100% designed and made in India for the toughest environments.

Built for the Long Haul

- Its solid steel construction ensures unwavering durability on the factory floor or in control rooms.
- Experience dependable, consistent performance for critical control systems and automation tasks.
- Dual LAN ports provide essential network redundancy and flexible connectivity for industrial protocols.

Simplified, Secure Control



- Pre-loaded with Thinux™ Embedded Linux, it delivers a stable, lightweight platform for dedicated applications.
- Remotely manage and monitor systems with ease using the built-in browser-based tools and VNC support.
- Focus purely on your operation with a system designed for purpose, free from unnecessary bloat.

The Industrial Workhorse

From process control and machine interfacing to digital signage and kiosks, the Neo H handles it all. Its powerful processing and robust build mean you invest in uptime, leaving downtime behind. Choose the reliable core for your most demanding applications.

Thinvent Neo H Mini PC



Specifications

PROCESSING

Generation	12th
Series	i3
Processor Brand	Intel
Processor Model	1215U
Cores	6
Max Frequency	4.4 GHz
Cache	10 MB
Main Memory	64 GB
SSD Storage	32 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2

POWER

DC Voltage	12 Volts
DC Current	7 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Mini PC
Dimensions	210mm × 202mm × 80mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.79kg, 2.21kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Ordering Information

PRODUCT CODE

H-i3_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]

RAM	4 = 4GB DDR4	8 = 8GB DDR4	16 = 16GB DDR4	32 = 32GB DDR4
	32_32 = 64GB DDR4 RAM (2 x 32GB)	16_16 = 32GB DDR4 RAM (2 x 16GB)	8_8 = 16GB DDR4 RAM (2 x 8GB)	
SSD	m128 = 128GB		m256 = 256GB	
	m512 = 512GB		m1024 = 1TB	
	S32 = 32GB MLC		S128 = 128GB	
	S256 = 256GB			
Wireless	m = Dual Band WiFi		X = No WiFi	
OS	DOS = DOS		W_OS = Without OS	
	11V = Windows 11 IoT Value		11P = Windows 11 Pro	
	Thinux = Thinux™ Embedded Linux		U = Ubuntu Linux	
Accessories	0 = None		KM = Keyboard and Mouse set	
	1S = DB9 Serial		MK = Mechanical Keyboard	
	Mo = Wired Optical Scroll Mouse			

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

