



# Thinvent Neo H Mini PC

## Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

## Dual LAN

## 4GB DDR4 RAM

## 1TB SSD

## Dual Band WiFi

## Thinix Embedded Linux

## Thinvent Keyboard and Mouse set

SKU: H-I3\_12L-4-M1024-12\_7-M-THINUX-KM



Engineered for India, Built to Endure: The High-Performance Thinvent® Neo H Mini PC.

### Power Through Your Toughest Industrial Tasks

Meet the ultimate industrial workhorse. The Neo H is our largest, most powerful model, meticulously engineered to deliver relentless reliability in demanding environments. This isn't just a computer; it's the robust nerve centre for your critical operations.

### Why the Neo H is Your Industrial Ally

- Unshakeable reliability with a 100% Indian-designed solid steel chassis, built to withstand the rigours of factory floors and control rooms.
- Tackle complex industrial control, automation, and monitoring applications with smooth, responsive performance from a high-powered processor.

- Stay seamlessly connected with dual LAN ports and comprehensive I/O, ensuring robust communication with machinery, sensors, and network systems.
- Deploy with confidence using the integrated Thinix™ operating system, featuring essential tools for remote management, office tasks, and custom application support.
- A complete, ready-to-run solution that arrives with a keyboard and mouse, minimising setup time and getting your systems online faster.

Built for purpose and proven in performance, the Neo H Mini PC is the dependable foundation for your most vital industrial applications.

# Thinvent Neo H Mini PC



## Specifications

### PROCESSING

---

Generation	12th
Series	i3
Processor Brand	Intel
Processor Model	1215U
Cores	6
Max Frequency	4.4 GHz
Cache	10 MB
Main Memory	4 GB
SSD Storage	1024 GB

### DISPLAY

---

HDMI	1
VGA	1

### AUDIO

---

Speaker Out	1
Mic In	1

### CONNECTIVITY

---

USB 3.2	2
RS485 Option	1

### NETWORKING

---

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

### POWER

---

DC Voltage	12 Volts
DC Current	7 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

### ENVIRONMENTAL

---

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

### PHYSICAL

---

Form Factor	Mini PC
Dimensions	210mm × 202mm × 80mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	2.31kg, 2.73kg

### ACCESSORIES

---

Keyboard and Mouse	1
--------------------	---

### OPERATING SYSTEM

---

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

## Ordering Information

PRODUCT CODE	
<b>H-i3_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]</b>	
<b>RAM</b>	<b>4</b> = 4GB DDR4 <b>8</b> = 8GB DDR4 <b>16</b> = 16GB DDR4 <b>32</b> = 32GB DDR4 <b>64</b> = 64GB DDR4
<b>SSD</b>	<b>m128</b> = 128GB <b>m256</b> = 256GB <b>m32</b> = 32GB <b>m512</b> = 512GB <b>m1024</b> = 1TB <b>S32</b> = 32GB MLC <b>S128</b> = 128GB <b>S256</b> = 256GB
<b>Wireless</b>	<b>m</b> = Dual Band WiFi <b>X</b> = No WiFi
<b>OS</b>	<b>DOS</b> = DOS <b>W_OS</b> = Without OS <b>11V</b> = Windows 11 IoT Value <b>11P</b> = Windows 11 Pro <b>Thinix</b> = Thinix™ Embedded Linux <b>U</b> = Ubuntu Linux
<b>Accessories</b>	<b>0</b> = None <b>KM</b> = Keyboard and Mouse set <b>1S</b> = DB9 Serial <b>MK</b> = Mechanical Keyboard <b>Mo</b> = Wired Optical Scroll Mouse

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

**R&D and Manufacturing**  
 #11 Sports Complex  
 Salvador Do Mundo  
 North Goa - 403101, India

**Sales**  
 UGF-10-A Omaxe Gurgaon Mall  
 Sector 49, Sohna Road  
 Gurgaon - 122018, India

