



Thinvent Neo H Mini PC

Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

Dual LAN

16GB DDR4 RAM (2 x 8GB)

2TB SSD

Dual Band WiFi

Thinux Embedded Linux

DB9 Serial

SKU: H-I3_12L-8_8-M2048-12_7-M-THINUX-1S



Engineered for relentless industrial performance, crafted in India.

The Neo H Mini PC: Built to power your most demanding industrial applications with unwavering reliability. This is the high-performance evolution of our bestselling Neo, delivering robust computing in a solid, compact form.

The powerhouse for industrial control

- Drive complex automation, machine interfacing, and process control systems with smooth, responsive power.
- Connect seamlessly to a vast array of legacy and modern equipment with dual LAN ports and serial connectivity.

- Deploy with absolute confidence in rugged environments, thanks to its solid steel construction and industrial-grade components.
- Simplify remote management and operation with the integrated Thinux™ platform, ready for specialised software and secure access.

Built to endure, designed to deliver. This is the industrial workhorse that just gets the job done, day in and day out.

Thinvent Neo H Mini PC



Specifications

PROCESSING

Generation	12th
Series	i3
Processor Brand	Intel
Processor Model	1215U
Cores	6
Max Frequency	4.4 GHz
Cache	10 MB
Main Memory	16 GB
SSD Storage	2048 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
Serial Port	1 DB9 male RS232
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

POWER

DC Voltage	12 Volts
DC Current	7 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Mini PC
Dimensions	210mm × 202mm × 80mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.79kg, 2.21kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Ordering Information

PRODUCT CODE

H-i3_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]

RAM	4 = 4GB DDR4	8 = 8GB DDR4	16 = 16GB DDR4	32 = 32GB DDR4
	32_32 = 64GB DDR4 RAM (2 x 32GB)	16_16 = 32GB DDR4 RAM (2 x 16GB)	8_8 = 16GB DDR4 RAM (2 x 8GB)	
SSD	m128 = 128GB	m256 = 256GB	m1024 = 1TB	
	m512 = 512GB	S32 = 32GB MLC	S256 = 256GB	
Wireless	m = Dual Band WiFi	X = No WiFi		
OS	DOS = DOS	W_OS = Without OS		
	11V = Windows 11 IoT Value	11P = Windows 11 Pro		
	110 = Windows 11 Professional	Thinix = Thinix™ Embedded Linux		
	U = Ubuntu Linux			
Accessories	0 = None	KM = Keyboard and Mouse set		
	1S = DB9 Serial	MK = Mechanical Keyboard		
	Mo = Wired Optical Scroll Mouse			

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

