

Intel Core i3-1315U processor

6 core, up to 4.5 GHz, 10 MB cache

4GB DDR4 RAM

1TB SSD

No WiFi

Thinix Embedded Linux

SKU: H-I3_13-4-M1024-12_5-X-THINIX-0



Unleash Industrial Power in a Compact Form.

Introducing the Thinvent® Neo H Mini PC: the high-performance evolution of our bestselling Neo model. This industrial workhorse, 100% designed and made in India, boasts a solid steel build for uncompromising durability, making it perfect for industrial control and similar demanding applications.

Powerful Performance

- Driven by an Intel® Core™ i3-1315U processor with 6 cores, up to 4.5 GHz, and a 10 MB cache for robust computing.
- 4GB DDR4 RAM ensures seamless multitasking even under heavy loads.
- A 32GB MLC SSD provides rapid, reliable, and durable storage for critical applications.

Extensive Connectivity

- Connect multiple displays with 1 HDMI and 1 VGA port.
- Expand your peripheral ecosystem with 2 USB 3.2 and 2 USB 2.0 ports.
- Experience high-speed, stable networking via 1000 Mbps Ethernet.
- Includes dedicated Speaker Out and Mic In for comprehensive audio support.

Thinvent® Thinix™ Embedded Linux Operating System



- Engineered for efficiency and advanced remote management capabilities.
- Comes with Chromium and Mozilla Firefox browsers for versatile web access.
- Facilitates seamless remote control through RDP 10 (RemoteFX, H.264/AVC), Putty, SSH, and VNC shadowing.
- Features browser-based remote management to simplify administration.
- Offers broad application support including Java, Python, glibc, LibreOffice, and a PDF viewer.
- Supports multimedia playback with MPEG4 and integrates SIP video and voice over IP.

Built for Harsh Environments

- Housed in a durable, black powder-coated steel chassis, measuring 210mm x 202mm x 80mm.
- Reliably operates within a 0°C ~ 40°C temperature range and 20% ~ 80% RH (non-condensing) humidity.
- Certified with BIS, RoHS, and ISO, ensuring compliance and peace of mind.
- Powered by a robust 12V 7A adapter with a wide 100~275V AC input range.

Thinvent Neo H Mini PC



Specifications

PROCESSING

Generation	13th
Series	i3
Processor Brand	Intel
Processor Model	1315U
Cores	6
Max Frequency	4.5 GHz
Cache	10 MB
Main Memory	4 GB
SSD Storage	1024 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
USB 2.0	2

NETWORKING

Ethernet	1000 Mbps
----------	-----------

POWER

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Mini PC
Dimensions	210mm × 202mm × 80mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.62kg, 2.04kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Ordering Information

PRODUCT CODE	
H-i3_13-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]	
RAM	4 = 4GB DDR4 8 = 8GB DDR4 16 = 16GB DDR4 32 = 32GB DDR4 64 = 64GB DDR4
SSD	m128 = 128GB m256 = 256GB m32 = 32GB m512 = 512GB m1024 = 1TB S32 = 32GB MLC S128 = 128GB S256 = 256GB
Wireless	m = Dual Band WiFi X = No WiFi
OS	DOS = DOS W_OS = Without OS 11V = Windows 11 IoT Value 11P = Windows 11 Pro Thinux = Thinux™ Embedded Linux U = Ubuntu Linux
Accessories	0 = None KM = Keyboard and Mouse set 1S = DB9 Serial MK = Mechanical Keyboard Mo = Wired Optical Scroll Mouse

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

+91-99903-44251

R&D and Manufacturing
 #11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
 UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

