Thinvent Neo H Mini PC

Intel Core i3-14100 processor

4 core, up to 4.7 GHz, 12 MB cache

32GB DDR4 RAM (2 x 16GB)

128GB SSD

No WiFi

DOS

SKU: H-I3_14D-16_16-M128-19_7-X-DOS-0



Compact Power, Built for the Factory Floor

The Thinvent Neo H Mini PC brings desktop-grade Intel performance into a compact, industrial-ready package. Powered by the Intel Core i3-14100 processor, it delivers quick, responsive computing for demanding control and monitoring tasks, all within a footprint that fits almost anywhere.

Designed as the High Performance version of our bestselling Neo range, the Neo H is built to handle the workloads that keep operations running. Its robust steel base and aluminium cover, finished in durable powder-coated black, help it stand up to the rigours of everyday industrial environments.

Connectivity is where the Neo H truly shines. You can connect to a wide range of displays and peripherals, with multiple HDMI and DisplayPort outputs, several USB 3.2 ports, a gigabit Ethernet connection for reliable wired networking, and dedicated audio inputs and outputs. Integrated TPM 2.0 support adds a layer of hardware-level security for sensitive applications.



Ideal for

- Industrial control and automation systems
- Machine monitoring and data collection
- Digital signage and kiosk management
- Point-of-sale and back-office operations
- Embedded and dedicated-purpose computing

Proudly designed and made in India, the Neo H is built by Thinvent for businesses that need dependable performance without compromise. Choose the Neo H for a workhorse that keeps your operations moving, day after day.

Thinvent Neo H Mini PC

Specifications

PROCESSING

Generation	14th
Series	i3
Processor Brand	Intel
Processor Model	14100
Cores	4
Max Frequency	4.7 GHz
Cache	12 MB
Chipset	Intel B760
TPM	TPM 2.0 header
Main Memory	32 GB
SSD Storage	128 GB

DISPLAY

HDMI	2
DisplayPort	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2 Gen 2	2
USB 3.2 Gen 1	2

NETWORKING

Ethernet	1000 Mbps

POWER

DC Voltage	19 Volts
DC Current	7 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	1.5 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Mini PC
Dimensions	181.5mm × 199.5mm × 72mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Steel base, aluminium cover
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	0.91kg, 1.32kg

OPERATING SYSTEM

Operating System	FreeDOS

Thinvent Neo H Mini PC

Ordering Information

PRODUCT CODE

`H-i3_14d-[RAM]-[SSD]-19_7-[Wireless]-[OS]-[Accessories]`

RAM	**4** = 4GB DDR4	**8** = 8GB DDR4	**16** = 16GB DDR4	**32** = 32GB DDR4
	32_32 = 64GB DDR4 RAM (2 x 32GB)	**16_16** = 32GB DDR4 RAM (2 x 16GB)	**8_8** = 16GB DDR4 RAM (2 x 8GB)	
SSD	**m128** = 128GB		**m256** = 256GB	
	m512 = 512GB		**m1024** = 1TB	
	m2048 = 2TB		**S32** = 32GB MLC	
	S128 = 128GB		**S256** = 256GB	
	m128_S128 = Dual 128GB		**m128_S32** = 128GB SSD + 32 GB MLC	
	S128_S32 = 128GB SSD + 32 GB MLC		**S128_S128** = 128GB SSD + 128 GB MLC	
	m32_S32 = 32GB SSD + 32 GB MLC		**S32_S32** = 32GB MLC SSD + 32 GB MLC	
	h1024 = 1TB HDD		**n512_h1024** = 512GB NVMe SSD + 1TB HDD	
	n1024_h1024 = 1TB NVMe SSD + 1TB HDD			
Wireless	**m** = Dual Band WiFi		**X** = No WiFi	
OS	**DOS** = DOS		**W_OS** = Without OS	
	11V = Windows 11 IoT Value		**11P** = Windows 11 Pro	
	11O = Windows 11 Professional		**Thinux** = Thinux™ Embedded Linux	
	U = Ubuntu Linux			
Accessories	**0** = None		**KM** = Keyboard and Mouse set	
	1S = DB9 Serial		**MK** = Mechanical Keyboard	
	Mo = Wired Optical Scroll Mouse			

www.thinvent.in sales@thinvent.in +91-11-430-77467 +91-99903-44251

R&D and Manufacturing
#11 Sports Complex
Salvador Do Mundo
North Goa - 403101, India

Sales
UGF-10-A Omaxe Gurgaon Mall
Sector 49, Sohna Road
Gurgaon - 122018, India