



# Thinvent Neo H Mini PC

## Intel Core i5-1240P processor

12 core, up to 4.4 GHz, 12 MB cache

## Dual LAN

## 4GB DDR4 RAM

## 1TB SSD

## No WiFi

## Thinix Embedded Linux

## Thinvent Keyboard and Mouse set

SKU: H-I5\_12L-4-M1024-12\_7-X-THINUX-KM



Unleash industrial-grade computing power, built to last.

### Introducing the Neo H Mini PC: High Performance

The ultimate evolution of our bestselling Neo series, the Neo H is our most powerful and robust industrial computer. Engineered from the ground up in India, it's a true workhorse designed to thrive in demanding environments where reliability is non-negotiable.

### Engineered for Demanding Environments

- Its solid steel construction and compact form factor ensure unwavering durability in industrial settings, from factory floors to control rooms.
- With dual Ethernet ports and a suite of remote management tools, it offers unparalleled connectivity and control, allowing for seamless integration and easy oversight from anywhere.

- The pre-installed industrial-grade operating system is ready for action, supporting everything from real-time control applications and digital signage to VoIP communications and office productivity.

### Your Reliable Partner for Critical Tasks

This isn't just a computer; it's a dependable core for your most important operations. It delivers the consistent, high-performance computing needed for industrial automation, process control, kiosks, and similar mission-critical applications. Choose the Neo H and build your system on a foundation of pure power and proven resilience.



# Thinvent Neo H Mini PC



## Specifications

### PROCESSING

---

Generation	12th
Series	i5
Processor Brand	Intel
Processor Model	1240P
Cores	12
Max Frequency	4.4 GHz
Cache	12 MB
Main Memory	4 GB
SSD Storage	1024 GB

### DISPLAY

---

HDMI	1
VGA	1

### AUDIO

---

Speaker Out	1
Mic In	1

### CONNECTIVITY

---

USB 3.2	2
---------	---

### NETWORKING

---

Ethernet	1000 Mbps
Ethernet Ports	2

### POWER

---

DC Voltage	12 Volts
DC Current	7 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

### ENVIRONMENTAL

---

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

### PHYSICAL

---

Form Factor	Mini PC
Dimensions	210mm × 202mm × 80mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	2.34kg, 2.76kg

### ACCESSORIES

---

Keyboard and Mouse	1
--------------------	---

### OPERATING SYSTEM

---

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

## Ordering Information

### PRODUCT CODE

**H-i5\_12l-[RAM]-[SSD]-12\_7-[Wireless]-[OS]-[Accessories]**

<b>RAM</b>	<b>4</b> = 4GB DDR4	<b>8</b> = 8GB DDR4	<b>16</b> = 16GB DDR4	<b>32</b> = 32GB DDR4
	<b>64</b> = 64GB DDR4			
<b>SSD</b>	<b>m128</b> = 128GB		<b>m256</b> = 256GB	
	<b>m32</b> = 32GB		<b>m512</b> = 512GB	
	<b>m1024</b> = 1TB		<b>S32</b> = 32GB MLC	
	<b>S128</b> = 128GB		<b>S256</b> = 256GB	
<b>Wireless</b>	<b>m</b> = Dual Band WiFi		<b>X</b> = No WiFi	
<b>OS</b>	<b>DOS</b> = DOS		<b>W_OS</b> = Without OS	
	<b>11V</b> = Windows 11 IoT Value		<b>11P</b> = Windows 11 Pro	
	<b>Thinix</b> = Thinix™ Embedded Linux		<b>U</b> = Ubuntu Linux	
<b>Accessories</b>	<b>0</b> = None		<b>KM</b> = Keyboard and Mouse set	
	<b>1S</b> = DB9 Serial		<b>MK</b> = Mechanical Keyboard	
	<b>Mo</b> = Wired Optical Scroll Mouse			

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

**R&D and Manufacturing**  
 #11 Sports Complex  
 Salvador Do Mundo  
 North Goa - 403101, India

**Sales**  
 UGF-10-A Omaxe Gurgaon Mall  
 Sector 49, Sohna Road  
 Gurgaon - 122018, India

