



Thinvent Neo H Mini PC

Intel Core i5-1240P processor

12 core, up to 4.4 GHz, 12 MB cache

Dual LAN

64GB DDR4 RAM

128GB SSD

Dual Band WiFi

Thinix Embedded Linux

DB9 Serial

SKU: H-I5_12L-64-M128-12_7-M-THINUX-1S



Industrial power, concentrated. Meet the performance champion.

The Thinvent® Neo H Mini PC

Forget compromise. This is the high-performance evolution of our bestselling Neo, engineered to be the definitive industrial workhorse. It delivers serious computing muscle in a remarkably compact, solid steel chassis, built to thrive where reliability is non-negotiable.

Why the Neo H is your strategic advantage

- Unmatched resilience for 24/7 operation in demanding environments, from factory floors to control rooms.
- A host of professional connectivity options, including dual Ethernet and legacy serial support, seamlessly integrates with your existing industrial ecosystem.

- Empowers complex industrial control, automation, digital signage, and secure remote management applications with effortless ease.
 - Rugged, 100% Indian-designed and manufactured build quality, offering supreme durability and dependable local support.
 - Pre-loaded with a versatile, secure embedded OS ready for immediate deployment, eliminating complex software setup.
- Deploy confidence. Choose the robust, high-performance mini PC built for real-world industry.

Thinvent Neo H Mini PC



Specifications

PROCESSING

| | |
|-----------------|---------|
| Generation | 12th |
| Series | i5 |
| Processor Brand | Intel |
| Processor Model | 1240P |
| Cores | 12 |
| Max Frequency | 4.4 GHz |
| Cache | 12 MB |
| Main Memory | 64 GB |
| SSD Storage | 128 GB |

DISPLAY

| | |
|------|---|
| HDMI | 1 |
| VGA | 1 |

AUDIO

| | |
|-------------|---|
| Speaker Out | 1 |
| Mic In | 1 |

CONNECTIVITY

| | |
|-------------|------------------|
| USB 3.2 | 2 |
| Serial Port | 1 DB9 male RS232 |

NETWORKING

| | |
|---------------------|-------------------------------|
| Ethernet | 1000 Mbps |
| Ethernet Ports | 2 |
| Wireless Networking | Wi-Fi 5 (802.11ac), dual band |

POWER

| | |
|--------------|--|
| DC Voltage | 12 Volts |
| DC Current | 7 Amps |
| Power Input | 100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre |

ENVIRONMENTAL

| | |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 40°C |
| Operating Humidity | 20% ~ 80% RH, non condensing |
| Certifications | BIS, RoHS, ISO |

PHYSICAL

| | |
|----------------------|-----------------------|
| Form Factor | Mini PC |
| Dimensions | 210mm × 202mm × 80mm |
| Packing Dimensions | 340mm × 235mm × 105mm |
| Housing Material | Steel |
| Housing Finish | Powder Coated |
| Housing Colour | Black |
| Net and Gross Weight | 1.82kg, 2.24kg |

OPERATING SYSTEM

| | |
|------------------|--|
| Operating System | Thinvent® Thinux™ Embedded Linux |
| OS Features | Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP. |

Ordering Information

| PRODUCT CODE | |
|--|--|
| H-i5_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories] | |
| RAM | 4 = 4GB DDR4 8 = 8GB DDR4 16 = 16GB DDR4 32 = 32GB DDR4 64 = 64GB DDR4 |
| SSD | m128 = 128GB m256 = 256GB m32 = 32GB m512 = 512GB m1024 = 1TB S32 = 32GB MLC S128 = 128GB S256 = 256GB |
| Wireless | m = Dual Band WiFi X = No WiFi |
| OS | DOS = DOS W_OS = Without OS 11V = Windows 11 IoT Value 11P = Windows 11 Pro Thinix = Thinix™ Embedded Linux U = Ubuntu Linux |
| Accessories | 0 = None KM = Keyboard and Mouse set 1S = DB9 Serial MK = Mechanical Keyboard Mo = Wired Optical Scroll Mouse |

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing
 #11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
 UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

