



## Thinvent Neo H Mini PC

### Intel Core i5-1240P processor

12 core, up to 4.4 GHz, 12 MB cache

### Dual LAN

### 8GB DDR4 RAM

### 128GB SSD

### No WiFi

### Thinux Embedded Linux

SKU: H-I5\_12L-8-M128-12\_7-X-THINUX-0



Engineered for the relentless demands of industry.

Thinvent® Neo H Mini PC: The High-Performance Industrial Anchor

When your operation depends on flawless, continuous control, you need a cornerstone of computing power that simply won't quit. Introducing the Neo H, the high-performance evolution of our bestselling model. This is industrial computing, redefined for the most demanding environments.

Built as a true industrial workhorse, the Neo H delivers robust processing muscle to drive complex control systems, manage multiple processes, and handle intensive data tasks without breaking a sweat. Its solid steel construction ensures unwavering durability on the factory floor, while dual LAN ports provide critical network redundancy for uninterrupted operations.

### Why the Neo H is your essential partner

- Conquer complex industrial automation and control applications with dependable, high-throughput performance.
- Deploy with absolute confidence in harsh conditions, thanks to its rugged, 100% India-designed and made steel chassis.
- Simplify management and remote diagnostics through integrated, browser-based tools, keeping your focus on productivity.
- Serve as a versatile hub for digital signage, machine interfacing, or VoIP communications with its comprehensive connectivity.

Choose the powerhouse built to endure. Choose the Thinvent Neo H.



# Thinvent Neo H Mini PC



## Specifications

### PROCESSING

|                 |         |
|-----------------|---------|
| Generation      | 12th    |
| Series          | i5      |
| Processor Brand | Intel   |
| Processor Model | 1240P   |
| Cores           | 12      |
| Max Frequency   | 4.4 GHz |
| Cache           | 12 MB   |
| Main Memory     | 8 GB    |
| SSD Storage     | 128 GB  |

### DISPLAY

|      |   |
|------|---|
| HDMI | 1 |
| VGA  | 1 |

### AUDIO

|             |   |
|-------------|---|
| Speaker Out | 1 |
| Mic In      | 1 |

### CONNECTIVITY

|         |   |
|---------|---|
| USB 3.2 | 2 |
|---------|---|

### NETWORKING

|                |           |
|----------------|-----------|
| Ethernet       | 1000 Mbps |
| Ethernet Ports | 2         |

### POWER

|              |                                              |
|--------------|----------------------------------------------|
| DC Voltage   | 12 Volts                                     |
| DC Current   | 7 Amps                                       |
| Power Input  | 100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre                                      |

### ENVIRONMENTAL

|                       |                              |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 40°C                   |
| Operating Humidity    | 20% ~ 80% RH, non condensing |
| Certifications        | BIS, RoHS, ISO               |

### PHYSICAL

|                      |                       |
|----------------------|-----------------------|
| Form Factor          | Mini PC               |
| Dimensions           | 210mm × 202mm × 80mm  |
| Packing Dimensions   | 340mm × 235mm × 105mm |
| Housing Material     | Steel                 |
| Housing Finish       | Powder Coated         |
| Housing Colour       | Black                 |
| Net and Gross Weight | 1.82kg, 2.24kg        |

### OPERATING SYSTEM

|                  |                                                                                                                                                                                                                                                                                                                                    |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operating System | Thinvent® Thinux™ Embedded Linux                                                                                                                                                                                                                                                                                                   |
| OS Features      | Chromium and Mozilla Firefox browsers.<br>RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display.<br>Browser based remote management. VNC shadowing.<br>Java, Python and glibc based location application support.<br>LibreOffice and PDF viewer.<br>Multimedia player with MPEG4 support.<br>SIP video and voice over IP. |

## Ordering Information

## PRODUCT CODE

H-i5\_12l-[RAM]-[SSD]-12\_7-[Wireless]-[OS]-[Accessories]

## RAM

**4** = 4GB DDR4**8** = 8GB DDR4**16** = 16GB DDR4**32** = 32GB DDR4**32\_32** = 64GB  
DDR4 RAM (2 x  
32GB)**16\_16** = 32GB  
DDR4 RAM (2 x  
16GB)**8\_8** = 16GB DDR4  
RAM (2 x 8GB)

## SSD

**m128** = 128GB**m512** = 512GB**S32** = 32GB MLC**S256** = 256GB**m256** = 256GB**m1024** = 1TB**S128** = 128GB

## Wireless

**m** = Dual Band WiFi**X** = No WiFi

## OS

**DOS** = DOS**11V** = Windows 11 IoT Value**Thinux** = Thinux™ Embedded Linux**W\_OS** = Without OS**11P** = Windows 11 Pro**U** = Ubuntu Linux

## Accessories

**0** = None**1S** = DB9 Serial**Mo** = Wired Optical Scroll Mouse**KM** = Keyboard and Mouse set**MK** = Mechanical Keyboard[www.thinvent.in](http://www.thinvent.in)[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

## R&amp;D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

## Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

