



Thinvent Neo H Mini PC

Intel Core i7-1255U processor

10 core, up to 4.7 GHz, 12 MB cache

Dual LAN

32GB DDR4 RAM

2TB SSD

No WiFi

Thinux Embedded Linux

SKU: H-I7_12L-32-M2048-12_5-X-THINUX-0



Engineered for relentless industrial performance.

Built to power the most demanding applications, the Thinvent® Neo H Mini PC is the ultimate industrial workhorse. This high-performance powerhouse delivers unwavering reliability where it matters most.

Industrial Strength Reliability

- Rugged solid steel construction ensures durability in harsh environments.
- 100% designed and made in India for robust quality and support.
- Stable operation within a wide range of temperatures and humidity.

Unmatched Connectivity and Control

- Dual Gigabit Ethernet ports for critical network redundancy and industrial networking.
- A host of legacy and modern ports for seamless integration with a vast array of industrial equipment.

- Ideal for machine control, automation, digital signage, and complex process management.

Simplified, Secure Operation

- Runs the efficient Thinux™ Embedded Linux OS for stable, long-term performance without bloat.
- Features built-in remote management and VNC shadowing for easy maintenance and monitoring from anywhere.
- Pre-loaded with essential tools for development, office tasks, and multimedia, ready for your specific application.

Choose the industrial-grade computing solution that won't let you down. Deploy the Neo H for critical operations where power, connectivity, and absolute reliability are non-negotiable.



Thinvent Neo H Mini PC



Specifications

PROCESSING

Generation	12th
Series	i7
Processor Brand	Intel
Processor Model	1255U
Cores	10
Max Frequency	4.7 GHz
Cache	12 MB
Main Memory	32 GB
SSD Storage	2048 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2

POWER

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Mini PC
Dimensions	210mm × 202mm × 80mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.73kg, 2.14kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Ordering Information

PRODUCT CODE

H-i7_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]

RAM	4 = 4GB DDR4	8 = 8GB DDR4	16 = 16GB DDR4	32 = 32GB DDR4
	32_32 = 64GB DDR4 RAM (2 x 32GB)	16_16 = 32GB DDR4 RAM (2 x 16GB)	8_8 = 16GB DDR4 RAM (2 x 8GB)	
SSD	m128 = 128GB	m256 = 256GB	m1024 = 1TB	
	m512 = 512GB	S32 = 32GB MLC	S256 = 256GB	
Wireless	m = Dual Band WiFi	X = No WiFi		
OS	DOS = DOS	W_OS = Without OS		
	11V = Windows 11 IoT Value	11P = Windows 11 Pro		
	110 = Windows 11 Professional	Thinix = Thinix™ Embedded Linux		
	U = Ubuntu Linux			
Accessories	0 = None	KM = Keyboard and Mouse set		
	1S = DB9 Serial	MK = Mechanical Keyboard		
	Mo = Wired Optical Scroll Mouse			

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

