



# Thinvent Neo H Mini PC

## Intel Core i7-1255U processor

10 core, up to 4.7 GHz, 12 MB cache

## Dual LAN

## 4GB DDR4 RAM

## 256GB SSD

## Dual Band WiFi

## Thinix Embedded Linux

## DB9 Serial

SKU: H-I7\_12L-4-M256-12\_5-M-THINUX-1S



Engineered for the toughest industrial demands.

Thinvent® Neo H Mini PC: Industrial Power, Uncompromised.

Unleash robust computing performance for your most critical control systems. The Neo H is our pinnacle industrial-grade mini PC, built to deliver unwavering reliability where it matters most.

### Built to Endure

- Crafted with a solid steel chassis for superior durability in challenging environments.
- Operates flawlessly in a wide range of temperatures, ensuring continuous uptime.
- 100% designed and made in India, supporting domestic manufacturing excellence.

### Connect and Control Everything

- Equipped with dual LAN ports and legacy serial connectivity for seamless integration with industrial machinery and networks.
- A host of I/O options provides the ultimate flexibility for sensors, peripherals, and displays.
- Leverage robust remote management tools for easy oversight and maintenance from anywhere.

### Your Reliable Industrial Workhorse

Ideal for demanding applications like factory automation, process control, and digital signage. It runs our streamlined Thinix™ OS, ready to host your specialised control software and deliver consistent, powerful performance day in and day out. Choose the Neo H for a solution that works as hard as you do.

# Thinvent Neo H Mini PC



## Specifications

### PROCESSING

---

|                 |         |
|-----------------|---------|
| Generation      | 12th    |
| Series          | i7      |
| Processor Brand | Intel   |
| Processor Model | 1255U   |
| Cores           | 10      |
| Max Frequency   | 4.7 GHz |
| Cache           | 12 MB   |
| Main Memory     | 4 GB    |
| SSD Storage     | 256 GB  |

### DISPLAY

---

|      |   |
|------|---|
| HDMI | 1 |
| VGA  | 1 |

### AUDIO

---

|             |   |
|-------------|---|
| Speaker Out | 1 |
| Mic In      | 1 |

### CONNECTIVITY

---

|              |                  |
|--------------|------------------|
| USB 3.2      | 2                |
| Serial Port  | 1 DB9 male RS232 |
| RS485 Option | 1                |

### NETWORKING

---

|                     |                               |
|---------------------|-------------------------------|
| Ethernet            | 1000 Mbps                     |
| Ethernet Ports      | 2                             |
| Wireless Networking | Wi-Fi 5 (802.11ac), dual band |

### POWER

---

|              |  |
|--------------|--|
| DC Voltage   | 12 Volts                                     |
| DC Current   | 5 Amps                                       |
| Power Input  | 100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre                                      |

### ENVIRONMENTAL

---

|                       |                              |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 40°C                   |
| Operating Humidity    | 20% ~ 80% RH, non condensing |
| Certifications        | BIS, RoHS, ISO               |

### PHYSICAL

---

|                      |                       |
|----------------------|-----------------------|
| Form Factor          | Mini PC               |
| Dimensions           | 210mm × 202mm × 80mm  |
| Packing Dimensions   | 340mm × 235mm × 105mm |
| Housing Material     | Steel                 |
| Housing Finish       | Powder Coated         |
| Housing Colour       | Black                 |
| Net and Gross Weight | 1.73kg, 2.14kg        |

### OPERATING SYSTEM

---

|                  |  |
|------------------|--|
| Operating System | Thinvent® Thinux™ Embedded Linux   |
| OS Features      | Chromium and Mozilla Firefox browsers.<br>RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display.<br>Browser based remote management. VNC shadowing.<br>Java, Python and glibc based location application support.<br>LibreOffice and PDF viewer.<br>Multimedia player with MPEG4 support.<br>SIP video and voice over IP. |

## Ordering Information

| PRODUCT CODE   |  |
|--|--|
| <b>H-i7_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]</b> |  |
| <b>RAM</b>   | <b>4</b> = 4GB DDR4 <b>8</b> = 8GB DDR4 <b>16</b> = 16GB DDR4 <b>32</b> = 32GB DDR4<br><b>64</b> = 64GB DDR4   |
| <b>SSD</b>   | <b>m128</b> = 128GB <b>m256</b> = 256GB<br><b>m32</b> = 32GB <b>m512</b> = 512GB<br><b>m1024</b> = 1TB <b>S32</b> = 32GB MLC<br><b>S128</b> = 128GB <b>S256</b> = 256GB      |
| <b>Wireless</b>  | <b>m</b> = Dual Band WiFi <b>X</b> = No WiFi   |
| <b>OS</b>  | <b>DOS</b> = DOS <b>W_OS</b> = Without OS<br><b>11V</b> = Windows 11 IoT Value <b>11P</b> = Windows 11 Pro<br><b>Thinix</b> = Thinix™ Embedded Linux <b>U</b> = Ubuntu Linux |
| <b>Accessories</b>   | <b>0</b> = None <b>KM</b> = Keyboard and Mouse set<br><b>1S</b> = DB9 Serial <b>MK</b> = Mechanical Keyboard<br><b>Mo</b> = Wired Optical Scroll Mouse                       |

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

+91-99903-44251

**R&D and Manufacturing**  
 #11 Sports Complex  
 Salvador Do Mundo  
 North Goa - 403101, India

**Sales**  
 UGF-10-A Omaxe Gurgaon Mall  
 Sector 49, Sohna Road  
 Gurgaon - 122018, India

