



# Thinvent Neo H Mini PC

## Intel Core i7-1255U processor

10 core, up to 4.7 GHz, 12 MB cache

## Dual LAN

## 8GB DDR4 RAM

## 1TB SSD

## No WiFi

## Thinux Embedded Linux

SKU: H-I7\_12L-8-M1024-12\_7-X-THINUX-0



Engineered for relentless industrial performance.

Built to power the most demanding applications, the Thinvent® Neo H Mini PC is the ultimate industrial workhorse. This high-performance powerhouse delivers unwavering reliability where it matters most.

### Industrial Strength Reliability

- Rugged solid steel construction ensures durability in harsh environments.
- 100% designed and made in India for robust quality and support.
- Stable operation within a wide range of temperatures and humidity.

### Unmatched Connectivity and Control

- Dual Gigabit Ethernet ports for critical network redundancy and industrial networking.
- A host of legacy and modern ports for seamless integration with a vast array of industrial equipment.

- Ideal for machine control, automation, digital signage, and complex process management.

### Simplified, Secure Operation

- Runs the efficient Thinux™ Embedded Linux OS for stable, long-term performance without bloat.
- Features built-in remote management and VNC shadowing for easy maintenance and monitoring from anywhere.
- Pre-loaded with essential tools for development, office tasks, and multimedia, ready for your specific application.

Choose the industrial-grade computing solution that won't let you down. Deploy the Neo H for critical operations where power, connectivity, and absolute reliability are non-negotiable.



# Thinvent Neo H Mini PC



## Specifications

### PROCESSING

---

Generation	12th
Series	i7
Processor Brand	Intel
Processor Model	1255U
Cores	10
Max Frequency	4.7 GHz
Cache	12 MB
Main Memory	8 GB
SSD Storage	1024 GB

### DISPLAY

---

HDMI	1
VGA	1

### AUDIO

---

Speaker Out	1
Mic In	1

### CONNECTIVITY

---

USB 3.2	2
RS485 Option	1

### NETWORKING

---

Ethernet	1000 Mbps
Ethernet Ports	2

### POWER

---

DC Voltage	12 Volts
DC Current	7 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

### ENVIRONMENTAL

---

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

### PHYSICAL

---

Form Factor	Mini PC
Dimensions	210mm × 202mm × 80mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.82kg, 2.24kg

### OPERATING SYSTEM

---

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

## Ordering Information

PRODUCT CODE	
<b>H-i7_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]</b>	
<b>RAM</b>	<b>4</b> = 4GB DDR4 <b>8</b> = 8GB DDR4 <b>16</b> = 16GB DDR4 <b>32</b> = 32GB DDR4 <b>64</b> = 64GB DDR4
<b>SSD</b>	<b>m128</b> = 128GB <b>m256</b> = 256GB <b>m32</b> = 32GB <b>m512</b> = 512GB <b>m1024</b> = 1TB <b>S32</b> = 32GB MLC <b>S128</b> = 128GB <b>S256</b> = 256GB
<b>Wireless</b>	<b>m</b> = Dual Band WiFi <b>X</b> = No WiFi
<b>OS</b>	<b>DOS</b> = DOS <b>W_OS</b> = Without OS <b>11V</b> = Windows 11 IoT Value <b>11P</b> = Windows 11 Pro <b>Thinix</b> = Thinix™ Embedded Linux <b>U</b> = Ubuntu Linux
<b>Accessories</b>	<b>0</b> = None <b>KM</b> = Keyboard and Mouse set <b>1S</b> = DB9 Serial <b>MK</b> = Mechanical Keyboard <b>Mo</b> = Wired Optical Scroll Mouse

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

**R&D and Manufacturing**  
 #11 Sports Complex  
 Salvador Do Mundo  
 North Goa - 403101, India

**Sales**  
 UGF-10-A Omaxe Gurgaon Mall  
 Sector 49, Sohna Road  
 Gurgaon - 122018, India

