



## Thinvent Neo H Mini PC

### AMD Ryzen 5 7430U processor

6 core, up to 4.3 GHz, 16 MB cache

### 32GB DDR4 RAM

### 2TB SSD

### Dual Band WiFi

### Thinix Embedded Linux

SKU: H-R5\_7-32-M2048-19\_3-M-  
THINUX-0



Power and precision, engineered for the factory floor.

#### Built for the toughest jobs

- The Thinvent Neo H Mini PC is the high-performance version of our bestselling Neo line, purpose-built for industrial control and demanding automation environments
- With a powerful AMD Ryzen 5 7430U processor at its core, it delivers six cores of reliable computing muscle for real-time monitoring, complex logic, and data acquisition

- Whether you are driving a production line, managing warehouse systems, or running a digital kiosk, this compact workhorse keeps everything running smoothly

#### Connectivity that works

- A wealth of ports – HDMI, VGA, multiple USB 3.2

# Thinvent Neo H Mini PC



## Specifications

### PROCESSING

|                 |             |
|-----------------|-------------|
| Generation      | 7000 Series |
| Series          | Ryzen 5     |
| Processor Brand | AMD         |
| Processor Model | 7430U       |
| Cores           | 6           |
| Max Frequency   | 4.3 GHz     |
| Cache           | 16 MB       |
| Main Memory     | 32 GB       |
| SSD Storage     | 2048 GB     |

### DISPLAY

|      |   |
|------|---|
| HDMI | 1 |
| VGA  | 1 |

### AUDIO

|             |   |
|-------------|---|
| Speaker Out | 1 |
| Mic In      | 1 |

### CONNECTIVITY

|               |   |
|---------------|---|
| USB 3.2 Gen 1 | 2 |
| USB 2.0       | 2 |

### NETWORKING

|                     |                               |
|---------------------|-------------------------------|
| Ethernet            | 1000 Mbps                     |
| Wireless Networking | Wi-Fi 5 (802.11ac), dual band |

### POWER

|              |                                              |
|--------------|----------------------------------------------|
| DC Voltage   | 19 Volts                                     |
| DC Current   | 3 Amps                                       |
| Power Input  | 100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre                                      |

### ENVIRONMENTAL

|                       |                              |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 40°C                   |
| Operating Humidity    | 20% ~ 80% RH, non condensing |
| Certifications        | BIS, RoHS, ISO               |

### PHYSICAL

|                      |                       |
|----------------------|-----------------------|
| Form Factor          | Mini PC               |
| Dimensions           | 210mm × 202mm × 80mm  |
| Packing Dimensions   | 340mm × 235mm × 105mm |
| Housing Material     | Steel                 |
| Housing Finish       | Powder Coated         |
| Housing Colour       | Black                 |
| Net and Gross Weight | 1.27kg, 1.69kg        |

### OPERATING SYSTEM

|                  |                                                                                                                                                                                                                                                                                                                                    |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operating System | Thinvent® Thinux™ Embedded Linux                                                                                                                                                                                                                                                                                                   |
| OS Features      | Chromium and Mozilla Firefox browsers.<br>RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display.<br>Browser based remote management. VNC shadowing.<br>Java, Python and glibc based location application support.<br>LibreOffice and PDF viewer.<br>Multimedia player with MPEG4 support.<br>SIP video and voice over IP. |

## Ordering Information

### PRODUCT CODE

**H-r5\_7-[RAM]-[SSD]-19\_3-[Wireless]-[OS]-[Accessories]**

|             |                                            |                                            |                                         |                       |
|-------------|--------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------|
| RAM         | <b>4</b> = 4GB DDR4                        | <b>8</b> = 8GB DDR4                        | <b>16</b> = 16GB DDR4                   | <b>32</b> = 32GB DDR4 |
|             | <b>32_32</b> = 64GB<br>DDR4 RAM (2 x 32GB) | <b>16_16</b> = 32GB<br>DDR4 RAM (2 x 16GB) | <b>8_8</b> = 16GB DDR4<br>RAM (2 x 8GB) |                       |
| SSD         | <b>m128</b> = 128GB                        | <b>m256</b> = 256GB                        | <b>m1024</b> = 1TB                      |                       |
|             | <b>m512</b> = 512GB                        | <b>S32</b> = 32GB MLC                      | <b>S256</b> = 256GB                     |                       |
| Wireless    | <b>m2048</b> = 2TB                         |                                            |                                         |                       |
|             | <b>S128</b> = 128GB                        |                                            |                                         |                       |
| OS          | <b>m</b> = Dual Band WiFi                  | <b>X</b> = No WiFi                         |                                         |                       |
|             | <b>DOS</b> = DOS                           | <b>W_OS</b> = Without OS                   |                                         |                       |
| Accessories | <b>11V</b> = Windows 11 IoT Value          | <b>11P</b> = Windows 11 Pro                |                                         |                       |
|             | <b>110</b> = Windows 11 Professional       | <b>Thinix</b> = Thinix™ Embedded Linux     |                                         |                       |
|             | <b>U</b> = Ubuntu Linux                    |                                            |                                         |                       |
|             | <b>0</b> = None                            | <b>KM</b> = Keyboard and Mouse set         |                                         |                       |
|             | <b>1S</b> = DB9 Serial                     | <b>MK</b> = Mechanical Keyboard            |                                         |                       |
|             | <b>Mo</b> = Wired Optical Scroll Mouse     |                                            |                                         |                       |

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

### R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

### Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

