



## Thinvent Industrial PC IPC3

### Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

**64GB DDR4 RAM (2 x 32GB)**

**256GB SSD**

**No WiFi**

**Thinux Embedded Linux**

**Quad DB9 Serial**

SKU: IPC3-I3\_12-32\_32-M256-12\_7-X-THINUX-4S




**Unleash Unrivalled Industrial Power, Engineered for Endurance.**

Introducing the Thinvent® Industrial PC IPC3: a rugged, fanless workhorse 100% designed in India, built for 24x7 operation in the harshest environments. Its anodised silver aluminium housing ensures exceptional durability and heat dissipation, keeping your operations running smoothly from 0°C to 50°C.

At its core, an Intel® Core™ i3-1215U processor (6 cores, up to 4.4 GHz, 10 MB cache) delivers blazing-fast performance for demanding industrial and IoT applications. With immense 64GB DDR4 RAM and a lightning-quick 1TB SSD, the IPC3 handles complex data processing and storage with effortless efficiency.

Connectivity is paramount with the IPC3. It boasts six DB9 male RS232 serial ports, Gigabit Ethernet, versatile video output (HDMI, VGA), two USB 3.2 ports, and six USB 2.0 ports (four front-facing), ensuring seamless integration with legacy and modern peripherals. Powering this robust system is Thinvent® Thinux™ Embedded Linux, a secure and versatile OS optimized for industrial control. It comes pre-loaded with essential tools: Chromium and Mozilla Firefox browsers, RDP 10 for remote display, browser-based remote management, VNC shadowing, and supports Java, Python, LibreOffice, multimedia, and SIP video/voice over IP, providing a comprehensive software suite.

Compact at just 200mm × 184mm × 52mm, the IPC3 is easy to deploy. It features a reliable 12V 7A DC input, supported by a universal 100~275V AC power adapter. Trust in its quality, backed by RoHS and ISO certifications. The IPC3 is your dependable partner for critical industrial automation.



# Thinvent Industrial PC IPC3



## Specifications

### PROCESSING

|                 |         |
|-----------------|---------|
| Generation      | 12th    |
| Series          | i3      |
| Processor Brand | Intel   |
| Processor Model | 1215U   |
| Cores           | 6       |
| Max Frequency   | 4.4 GHz |
| Cache           | 10 MB   |
| Main Memory     | 64 GB   |
| SSD Storage     | 256 GB  |

### DISPLAY

|      |   |
|------|---|
| HDMI | 1 |
| VGA  | 1 |

### AUDIO

|             |   |
|-------------|---|
| Speaker Out | 1 |
| Mic In      | 1 |

### CONNECTIVITY

|                   |                  |
|-------------------|------------------|
| USB 3.2           | 2                |
| USB 2.0           | 2                |
| Front USB 2.0     | 4                |
| Front Serial Port | 2 DB9 male RS232 |
| Rear Serial Port  | 4 DB9 male RS232 |
| RS485 Option      | 1                |

### NETWORKING

|          |           |
|----------|-----------|
| Ethernet | 1000 Mbps |
|----------|-----------|

### POWER

|              |                                              |
|--------------|----------------------------------------------|
| DC Voltage   | 12 Volts                                     |
| DC Current   | 7 Amps                                       |
| Power Input  | 100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre                                      |

### ENVIRONMENTAL

|                       |                              |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 50°C                   |
| Operating Humidity    | 20% ~ 80% RH, non condensing |
| Certifications        | RoHS, ISO                    |

### PHYSICAL

|                      |                         |
|----------------------|-------------------------|
| Form Factor          | Industrial PC           |
| Thermal Design       | Fanless Passive Cooling |
| Dimensions           | 200mm × 184mm × 52mm    |
| Packing Dimensions   | 340mm × 235mm × 105mm   |
| Housing Material     | Aluminium               |
| Housing Finish       | Anodised                |
| Housing Colour       | Silver                  |
| Net and Gross Weight | 2.55kg, 2.97kg          |

### OPERATING SYSTEM

|                  |                                                                                                                                                                                                                                                                                                                                    |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operating System | Thinvent® Thinux™ Embedded Linux                                                                                                                                                                                                                                                                                                   |
| OS Features      | Chromium and Mozilla Firefox browsers.<br>RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display.<br>Browser based remote management. VNC shadowing.<br>Java, Python and glibc based location application support.<br>LibreOffice and PDF viewer.<br>Multimedia player with MPEG4 support.<br>SIP video and voice over IP. |

## Ordering Information

| PRODUCT CODE                                              |                                         |                                         |                                      |                       |
|-----------------------------------------------------------|-----------------------------------------|-----------------------------------------|--------------------------------------|-----------------------|
| IPC3-i3_12-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories] |                                         |                                         |                                      |                       |
| RAM                                                       | <b>4</b> = 4GB DDR4                     | <b>8</b> = 8GB DDR4                     | <b>16</b> = 16GB DDR4                | <b>32</b> = 32GB DDR4 |
|                                                           | <b>32_32</b> = 64GB DDR4 RAM (2 x 32GB) | <b>16_16</b> = 32GB DDR4 RAM (2 x 16GB) | <b>8_8</b> = 16GB DDR4 RAM (2 x 8GB) |                       |
| SSD                                                       | <b>m128</b> = 128GB                     |                                         | <b>m256</b> = 256GB                  |                       |
|                                                           | <b>m512</b> = 512GB                     |                                         | <b>m1024</b> = 1TB                   |                       |
| Wireless                                                  | <b>m</b> = Dual Band WiFi               |                                         | <b>X</b> = No WiFi                   |                       |
| OS                                                        | <b>DOS</b> = DOS                        |                                         | <b>W_OS</b> = Without OS             |                       |
|                                                           | <b>11V</b> = Windows 11 IoT Value       |                                         | <b>11P</b> = Windows 11 Pro          |                       |
|                                                           | <b>Thinux</b> = Thinux™ Embedded Linux  |                                         | <b>U</b> = Ubuntu Linux              |                       |
| Accessories                                               | <b>0</b> = None                         |                                         | <b>4S</b> = Quad DB9 Serial          |                       |

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

### R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

### Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

