



## Thinvent Industrial PC IPC3

### Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

### Dual LAN

32GB DDR4 RAM (2 x 16GB)

512GB SSD

No WiFi

DOS

SKU: IPC3-I3\_12L-16\_16-M512-12\_5-X-DOS-0



Built for the tough jobs, designed for India.


Thinvent IPC3: Your reliable digital workhorse for demanding industrial environments.

#### Why choose the IPC3

- Unwavering reliability: Its fanless, rugged aluminium design shrugs off dust, vibrations, and extreme temperatures for non-stop, 24/7 operation.
- Engineered for connectivity: With dual Gigabit LAN ports and multiple serial connections, it seamlessly integrates into complex factory networks and legacy machinery.

- Pure performance where it matters: A potent multi-core processor delivers smooth, responsive control for automation, machine vision, and IoT gateways without unnecessary complexity.
- Empowering local innovation: Proudly 100% designed in India to meet the specific challenges of modern Indian industry.

Deploy with confidence in manufacturing plants, utility control rooms, or as the robust brain behind a digital signage network. The IPC3 is the steadfast, no-fuss computing core you can set, forget, and rely on.



## Specifications

### PROCESSING

|                 |         |
|-----------------|---------|
| Generation      | 12th    |
| Series          | i3      |
| Processor Brand | Intel   |
| Processor Model | 1215U   |
| Cores           | 6       |
| Max Frequency   | 4.4 GHz |
| Cache           | 10 MB   |
| Main Memory     | 32 GB   |
| SSD Storage     | 512 GB  |

### DISPLAY

|      |   |
|------|---|
| HDMI | 1 |
| VGA  | 1 |

### AUDIO

|             |   |
|-------------|---|
| Speaker Out | 1 |
| Mic In      | 1 |

### CONNECTIVITY

|                   |                  |
|-------------------|------------------|
| USB 3.2           | 2                |
| Front USB 2.0     | 4                |
| Front Serial Port | 2 DB9 male RS232 |
| RS485 Option      | 1                |

### NETWORKING

|                |           |
|----------------|-----------|
| Ethernet       | 1000 Mbps |
| Ethernet Ports | 2         |

### POWER

|              |                                              |
|--------------|----------------------------------------------|
| DC Voltage   | 12 Volts                                     |
| DC Current   | 5 Amps                                       |
| Power Input  | 100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre                                      |

### ENVIRONMENTAL

|                       |                              |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 50°C                   |
| Operating Humidity    | 20% ~ 80% RH, non condensing |
| Certifications        | RoHS, ISO                    |

### PHYSICAL

|                      |                         |
|----------------------|-------------------------|
| Form Factor          | Industrial PC           |
| Thermal Design       | Fanless Passive Cooling |
| Dimensions           | 200mm × 184mm × 52mm    |
| Packing Dimensions   | 340mm × 235mm × 105mm   |
| Housing Material     | Aluminium               |
| Housing Finish       | Anodised                |
| Housing Colour       | Silver                  |
| Net and Gross Weight | 2.45kg, 2.87kg          |

### OPERATING SYSTEM

|                  |         |
|------------------|---------|
| Operating System | FreeDOS |
|------------------|---------|

## Ordering Information

## PRODUCT CODE

IPC3-i3\_12l-[RAM]-[SSD]-12\_7-[Wireless]-[OS]-[Accessories]

|             |                                                                                                 |                                                                                    |                                                               |                       |
|-------------|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|---------------------------------------------------------------|-----------------------|
| RAM         | <b>4</b> = 4GB DDR4<br><b>32_32</b> = 64GB DDR4 RAM (2 x 32GB)                                  | <b>8</b> = 8GB DDR4<br><b>16_16</b> = 32GB DDR4 RAM (2 x 16GB)                     | <b>16</b> = 16GB DDR4<br><b>8_8</b> = 16GB DDR4 RAM (2 x 8GB) | <b>32</b> = 32GB DDR4 |
| SSD         | <b>m128</b> = 128GB<br><b>m512</b> = 512GB                                                      | <b>m256</b> = 256GB<br><b>m1024</b> = 1TB                                          |                                                               |                       |
| Wireless    | <b>m</b> = Dual Band WiFi                                                                       | <b>X</b> = No WiFi                                                                 |                                                               |                       |
| OS          | <b>DOS</b> = DOS<br><b>11V</b> = Windows 11 IoT Value<br><b>Thinix</b> = Thinix™ Embedded Linux | <b>W_OS</b> = Without OS<br><b>11P</b> = Windows 11 Pro<br><b>U</b> = Ubuntu Linux |                                                               |                       |
| Accessories | <b>0</b> = None                                                                                 | <b>4S</b> = Quad DB9 Serial                                                        |                                                               |                       |

[www.thinvent.in](http://www.thinvent.in)[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251**R&D and Manufacturing**

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

**Sales**

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

