

Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

Dual LAN

32GB DDR4 RAM

128GB SSD

No WiFi

Ubuntu Linux

SKU: IPC3-I3_12L-32-M128-12_7-X-U-0



Unshakable performance for demanding environments: meet the Thinvent IPC3.


Engineered for the real world, this rugged industrial PC delivers unwavering reliability where others falter. Its robust, fanless design eliminates moving parts, making it impervious to dust, vibration, and extreme temperatures for non-stop 24/7 operation.

Built for the toughest jobs

- Deploy with confidence in manufacturing plants, automation systems, or remote IoT gateways.
- Enjoy silent, maintenance-free operation with efficient passive cooling.

- Leverage a stable and secure Ubuntu Linux foundation for your critical applications.
- Connect to a wide array of industrial peripherals with comprehensive legacy and modern ports.

Proudly 100% designed in India, the IPC3 combines durability with intelligent engineering. Its sleek anodised aluminium chassis isn't just tough—it's built to protect your investment and keep your operations running smoothly, day in and day out. Choose the resilient core for your industrial edge.



Specifications

PROCESSING

| | |
|-----------------|---------|
| Generation | 12th |
| Series | i3 |
| Processor Brand | Intel |
| Processor Model | 1215U |
| Cores | 6 |
| Max Frequency | 4.4 GHz |
| Cache | 10 MB |
| Main Memory | 32 GB |
| SSD Storage | 128 GB |

DISPLAY

| | |
|------|---|
| HDMI | 1 |
| VGA | 1 |

AUDIO

| | |
|-------------|---|
| Speaker Out | 1 |
| Mic In | 1 |

CONNECTIVITY

| | |
|-------------------|------------------|
| USB 3.2 | 2 |
| Front USB 2.0 | 4 |
| Front Serial Port | 2 DB9 male RS232 |
| RS485 Option | 1 |

NETWORKING

| | |
|----------------|-----------|
| Ethernet | 1000 Mbps |
| Ethernet Ports | 2 |

POWER

| | |
|--------------|--|
| DC Voltage | 12 Volts |
| DC Current | 7 Amps |
| Power Input | 100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre |

ENVIRONMENTAL

| | |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 50°C |
| Operating Humidity | 20% ~ 80% RH, non condensing |
| Certifications | RoHS, ISO |

PHYSICAL

| | |
|----------------------|-------------------------|
| Form Factor | Industrial PC |
| Thermal Design | Fanless Passive Cooling |
| Dimensions | 200mm × 184mm × 52mm |
| Packing Dimensions | 340mm × 235mm × 105mm |
| Housing Material | Aluminium |
| Housing Finish | Anodised |
| Housing Colour | Silver |
| Net and Gross Weight | 2.55kg, 2.97kg |

OPERATING SYSTEM

| | |
|------------------|------------------------|
| Operating System | Ubuntu Linux 24.04 LTS |
|------------------|------------------------|

Ordering Information

| PRODUCT CODE | |
|---|--|
| IPC3-i3_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories] | |
| RAM | 4 = 4GB DDR4 8 = 8GB DDR4 16 = 16GB DDR4 32 = 32GB DDR4 64 = 64GB DDR4 |
| SSD | m128 = 128GB m256 = 256GB m32 = 32GB m512 = 512GB m1024 = 1TB |
| Wireless | m = Dual Band WiFi X = No WiFi |
| OS | DOS = DOS W_OS = Without OS 11V = Windows 11 IoT Value 11P = Windows 11 Pro Thinux = Thinux™ Embedded Linux U = Ubuntu Linux |
| Accessories | 0 = None 4S = Quad DB9 Serial |

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

