



Thinvent Industrial PC IPC3

Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

Dual LAN

32GB DDR4 RAM

256GB SSD

No WiFi

Windows 11 IoT Value

Quad DB9 Serial

SKU: IPC3-I3_12L-32-M256-12_7-X-11V-4S



Built for the relentless rhythm of industry.

Introducing the Thinvent® IPC3 Industrial PC: your dependable digital workhorse, engineered to thrive where others falter. This robust, fanless system delivers unwavering performance in demanding environments, from factory floors to remote IoT installations.


Uncompromising reliability for 24/7 operations

- Experience silent, maintenance-free operation with advanced passive cooling, eliminating dust-prone fans for superior durability.
- Trust in robust, all-metal construction with an anodised finish, designed to withstand vibration, shock, and challenging conditions.
- Deploy with confidence in a wide range of temperatures, ensuring continuous uptime for your critical processes.

Seamless connectivity for industrial integration

- Effortlessly interface with legacy machinery and modern systems using multiple industrial serial ports.
- Ensure stable, high-speed network communication with dual Gigabit Ethernet for robust data handling.
- Benefit from ample front-facing USB access for convenient peripheral connection without disrupting your setup.

Powered by genuine Windows 11 IoT, this 100% India-designed solution provides a secure, familiar platform for your specialised applications. It's the resilient computing core you need to automate, monitor, and control with absolute certainty.



Specifications

PROCESSING

| | |
|-----------------|---------|
| Generation | 12th |
| Series | i3 |
| Processor Brand | Intel |
| Processor Model | 1215U |
| Cores | 6 |
| Max Frequency | 4.4 GHz |
| Cache | 10 MB |
| Main Memory | 32 GB |
| SSD Storage | 256 GB |

DISPLAY

| | |
|------|---|
| HDMI | 1 |
| VGA | 1 |

AUDIO

| | |
|-------------|---|
| Speaker Out | 1 |
| Mic In | 1 |

CONNECTIVITY

| | |
|-------------------|------------------|
| USB 3.2 | 2 |
| Front USB 2.0 | 4 |
| Front Serial Port | 2 DB9 male RS232 |
| Rear Serial Port | 4 DB9 male RS232 |
| RS485 Option | 1 |

NETWORKING

| | |
|----------------|-----------|
| Ethernet | 1000 Mbps |
| Ethernet Ports | 2 |

POWER

| | |
|--------------|--|
| DC Voltage | 12 Volts |
| DC Current | 7 Amps |
| Power Input | 100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre |

ENVIRONMENTAL

| | |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 50°C |
| Operating Humidity | 20% ~ 80% RH, non condensing |
| Certifications | RoHS, ISO |

PHYSICAL

| | |
|----------------------|-------------------------|
| Form Factor | Industrial PC |
| Thermal Design | Fanless Passive Cooling |
| Dimensions | 200mm × 184mm × 52mm |
| Packing Dimensions | 340mm × 235mm × 105mm |
| Housing Material | Aluminium |
| Housing Finish | Anodised |
| Housing Colour | Silver |
| Net and Gross Weight | 2.55kg, 2.97kg |

OPERATING SYSTEM

| | |
|------------------|---|
| Operating System | Microsoft Windows 11 IoT Enterprise LTSC 2024 Value |
|------------------|---|

Ordering Information

| PRODUCT CODE | |
|---|--|
| IPC3-i3_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories] | |
| RAM | 4 = 4GB DDR4 8 = 8GB DDR4 16 = 16GB DDR4 32 = 32GB DDR4 64 = 64GB DDR4 |
| SSD | m128 = 128GB m256 = 256GB m32 = 32GB m512 = 512GB m1024 = 1TB |
| Wireless | m = Dual Band WiFi X = No WiFi |
| OS | DOS = DOS W_OS = Without OS 11V = Windows 11 IoT Value 11P = Windows 11 Pro Thinix = Thinix™ Embedded Linux U = Ubuntu Linux |
| Accessories | 0 = None 4S = Quad DB9 Serial |

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing
 #11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
 UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

