



# Thinvent Industrial PC IPC3

## Intel Core i3-1315U processor

6 core, up to 4.5 GHz, 10 MB cache

32GB DDR4 RAM (2 x 16GB)

512GB SSD

Dual Band WiFi

Thinux Embedded Linux



SKU: IPC3-I3\_13-16\_16-M512-12\_7-M-THINUX-0

Thinvent® IPC3: Uncompromising Power, Unwavering Reliability, Designed for India's Industries.

Unleash robust performance in the harshest environments with the Thinvent® Industrial PC IPC3. This rugged, fanless solution, 100% designed and engineered in India, is built for 24x7 operation in industrial and IoT applications. Its durable anodised silver aluminium housing ensures longevity and superior thermal management.

### Performance Powerhouse

Driven by an Intel® Core™ i3-1315U processor with 6 cores, clocking up to 4.5 GHz and featuring a 10 MB cache, the IPC3 handles demanding tasks with ease. Coupled with 8GB DDR4 RAM and a lightning-fast 1TB SSD, it provides rapid data access and seamless multitasking, essential for critical operations.


### Connectivity & Control

Stay connected with dual-band Wi-Fi 5 and Gigabit Ethernet. Multiple USB ports (2x USB 3.2, 2x USB 2.0, 4x front USB 2.0) and versatile display outputs (HDMI, VGA) offer extensive peripheral compatibility. The integrated Thinvent® Thinux™ Embedded Linux OS provides

- Seamless web browsing with Chromium and Mozilla Firefox
- Advanced remote display via RDP 10 (RemoteFX, H.264/AVC), Putty, and SSH
- Convenient browser-based remote management and VNC shadowing
- Support for Java, Python, and glibc based applications
- Essential productivity with LibreOffice and PDF viewer
- Multimedia playback and SIP video/voice over IP capabilities

### Built for Extremes

Engineered to operate reliably from 0°C to 50°C with non-condensing humidity, this compact (200x184x52mm) industrial PC is RoHS and ISO certified. The 12V DC 7A power adapter, with a wide 100-275V AC input range, ensures stable operation. The Thinvent® IPC3 is your dependable partner for mission-critical industrial deployment.



# Thinvent Industrial PC IPC3



## Specifications

### PROCESSING

|                 |         |
|-----------------|---------|
| Generation      | 13th    |
| Series          | i3      |
| Processor Brand | Intel   |
| Processor Model | 1315U   |
| Cores           | 6       |
| Max Frequency   | 4.5 GHz |
| Cache           | 10 MB   |
| Main Memory     | 32 GB   |
| SSD Storage     | 512 GB  |

### DISPLAY

|      |   |
|------|---|
| HDMI | 1 |
| VGA  | 1 |

### AUDIO

|             |   |
|-------------|---|
| Speaker Out | 1 |
| Mic In      | 1 |

### CONNECTIVITY

|                   |                  |
|-------------------|------------------|
| USB 3.2           | 2                |
| USB 2.0           | 2                |
| Front USB 2.0     | 4                |
| Front Serial Port | 2 DB9 male RS232 |

### NETWORKING

|                     |                               |
|---------------------|-------------------------------|
| Ethernet            | 1000 Mbps                     |
| Wireless Networking | Wi-Fi 5 (802.11ac), dual band |

### POWER

|              |                                              |
|--------------|----------------------------------------------|
| DC Voltage   | 12 Volts                                     |
| DC Current   | 7 Amps                                       |
| Power Input  | 100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre                                      |

### ENVIRONMENTAL

|                       |                              |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 50°C                   |
| Operating Humidity    | 20% ~ 80% RH, non condensing |
| Certifications        | RoHS, ISO                    |

### PHYSICAL

|                      |                         |
|----------------------|-------------------------|
| Form Factor          | Industrial PC           |
| Thermal Design       | Fanless Passive Cooling |
| Dimensions           | 200mm × 184mm × 52mm    |
| Packing Dimensions   | 340mm × 235mm × 105mm   |
| Housing Material     | Aluminium               |
| Housing Finish       | Anodised                |
| Housing Colour       | Silver                  |
| Net and Gross Weight | 2.48kg, 2.90kg          |

### OPERATING SYSTEM

|                  |                                                                                                                                                                                                                                                                                                                                                                   |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operating System | Thinvent® Thinux™ Embedded Linux                                                                                                                                                                                                                                                                                                                                  |
| OS Features      | <p>Chromium and Mozilla Firefox browsers.</p> <p>RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display.</p> <p>Browser based remote management. VNC shadowing.</p> <p>Java, Python and glibc based location application support.</p> <p>LibreOffice and PDF viewer.</p> <p>Multimedia player with MPEG4 support.</p> <p>SIP video and voice over IP.</p> |

## Ordering Information

| PRODUCT CODE                                              |                                         |                                         |                                      |                       |
|-----------------------------------------------------------|-----------------------------------------|-----------------------------------------|--------------------------------------|-----------------------|
| IPC3-i3_13-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories] |                                         |                                         |                                      |                       |
| RAM                                                       | <b>4</b> = 4GB DDR4                     | <b>8</b> = 8GB DDR4                     | <b>16</b> = 16GB DDR4                | <b>32</b> = 32GB DDR4 |
|                                                           | <b>32_32</b> = 64GB DDR4 RAM (2 x 32GB) | <b>16_16</b> = 32GB DDR4 RAM (2 x 16GB) | <b>8_8</b> = 16GB DDR4 RAM (2 x 8GB) |                       |
| SSD                                                       | <b>m128</b> = 128GB                     |                                         | <b>m256</b> = 256GB                  |                       |
|                                                           | <b>m512</b> = 512GB                     |                                         | <b>m1024</b> = 1TB                   |                       |
| Wireless                                                  | <b>m</b> = Dual Band WiFi               |                                         | <b>X</b> = No WiFi                   |                       |
| OS                                                        | <b>DOS</b> = DOS                        |                                         | <b>W_OS</b> = Without OS             |                       |
|                                                           | <b>11V</b> = Windows 11 IoT Value       |                                         | <b>11P</b> = Windows 11 Pro          |                       |
|                                                           | <b>Thinux</b> = Thinux™ Embedded Linux  |                                         | <b>U</b> = Ubuntu Linux              |                       |
| Accessories                                               | <b>0</b> = None                         |                                         | <b>4S</b> = Quad DB9 Serial          |                       |

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

### R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

### Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

