



Thinvent Industrial PC IPC3

Intel Core i3-1315U processor

6 core, up to 4.5 GHz, 10 MB cache

64GB DDR4 RAM (2 x 32GB)

2TB SSD

No WiFi

DOS

SKU: IPC3-I3_13-32_32-M2048-12_5-X-DOS-0



Unleash relentless performance in the toughest environments.

Introducing the Thinvent® Industrial PC IPC3: your ultimate solution for demanding industrial and IoT applications, engineered for unwavering 24x7 operation. 100% designed in India, this rugged, fanless PC delivers exceptional power and reliability where it matters most.

Unmatched Performance

- Experience blazing speed with the Intel® Core™ i3-1315U processor, boasting 6 cores and a turbo frequency of up to 4.5 GHz, backed by a generous 10 MB cache.
- Multitask effortlessly and handle data-intensive tasks with a massive 64GB DDR4 RAM.
- Enjoy lightning-fast boot times and application loading from the 256GB SSD.

Robust Design and Durability

- Designed for harsh conditions, this fanless IPC operates silently and reliably across temperatures from 0°C to 50°C.
- Its anodised silver aluminium housing provides superior thermal management and protection against dust and vibration.

- Compact dimensions of 200mm × 184mm × 52mm ensure flexible installation in confined spaces.

Versatile Connectivity


- Connect multiple displays with dedicated HDMI and VGA outputs.
- Access comprehensive peripheral support with 2x USB 3.2, 2x USB 2.0, and 4x convenient front USB 2.0 ports.
- Ensure stable network communication with a dedicated 1000 Mbps Ethernet port.
- Includes speaker out and mic in for audio integration.

Reliable Power and Compliance

- Powered by a robust 12V 7A adapter with a wide AC input range (100~275 Volts), ensuring stable operation.
- RoHS and ISO certifications guarantee quality and environmental compliance.

Flexible Operating System

- Pre-installed with DOS, offering maximum flexibility for custom operating system deployments tailored to your specific industrial needs.



Specifications

PROCESSING

Generation	13th
Series	i3
Processor Brand	Intel
Processor Model	1315U
Cores	6
Max Frequency	4.5 GHz
Cache	10 MB
Main Memory	64 GB
SSD Storage	2048 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
USB 2.0	2
Front USB 2.0	4
Front Serial Port	2 DB9 male RS232

NETWORKING

Ethernet	1000 Mbps
----------	-----------

POWER

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 50°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	RoHS, ISO

PHYSICAL

Form Factor	Industrial PC
Thermal Design	Fanless Passive Cooling
Dimensions	200mm × 184mm × 52mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Aluminium
Housing Finish	Anodised
Housing Colour	Silver
Net and Gross Weight	2.38kg, 2.80kg

OPERATING SYSTEM

Operating System	FreeDOS
------------------	---------

Ordering Information

PRODUCT CODE

IPC3-i3_13-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]

RAM

4 = 4GB DDR4

8 = 8GB DDR4

16 = 16GB DDR4

32 = 32GB DDR4

32_32 = 64GB
DDR4 RAM (2 x
32GB)16_16 = 32GB
DDR4 RAM (2 x
16GB)8_8 = 16GB DDR4
RAM (2 x 8GB)

SSD

m128 = 128GB

m512 = 512GB

m2048 = 2TB

m256 = 256GB

m1024 = 1TB

Wireless

m = Dual Band WiFi

X = No WiFi

OS

DOS = DOS

11V = Windows 11 IoT Value

110 = Windows 11 Professional

U = Ubuntu Linux

W_OS = Without OS

11P = Windows 11 Pro

Thinix = Thinix™ Embedded Linux

Accessories

0 = None

4S = Quad DB9 Serial

www.thinvent.insales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

