



Thinvent Industrial PC IPC3

Intel Core i3-1315U processor

6 core, up to 4.5 GHz, 10 MB cache

4GB DDR4 RAM

512GB SSD

Dual Band WiFi

Thinix Embedded Linux



SKU: IPC3-I3_13-4-M512-12_5-M-THINUX-0

Thinvent® IPC3: Uncompromising Power, Unwavering Reliability, Designed for India's Industries.

Unleash robust performance in the harshest environments with the Thinvent® Industrial PC IPC3. This rugged, fanless solution, 100% designed and engineered in India, is built for 24x7 operation in industrial and IoT applications. Its durable anodised silver aluminium housing ensures longevity and superior thermal management.

Performance Powerhouse

Driven by an Intel® Core™ i3-1315U processor with 6 cores, clocking up to 4.5 GHz and featuring a 10 MB cache, the IPC3 handles demanding tasks with ease. Coupled with 8GB DDR4 RAM and a lightning-fast 1TB SSD, it provides rapid data access and seamless multitasking, essential for critical operations.


Connectivity & Control

Stay connected with dual-band Wi-Fi 5 and Gigabit Ethernet. Multiple USB ports (2x USB 3.2, 2x USB 2.0, 4x front USB 2.0) and versatile display outputs (HDMI, VGA) offer extensive peripheral compatibility. The integrated Thinvent® Thinix™ Embedded Linux OS provides

- Seamless web browsing with Chromium and Mozilla Firefox
- Advanced remote display via RDP 10 (RemoteFX, H.264/AVC), Putty, and SSH
- Convenient browser-based remote management and VNC shadowing
- Support for Java, Python, and glibc based applications
- Essential productivity with LibreOffice and PDF viewer
- Multimedia playback and SIP video/voice over IP capabilities

Built for Extremes

Engineered to operate reliably from 0°C to 50°C with non-condensing humidity, this compact (200x184x52mm) industrial PC is RoHS and ISO certified. The 12V DC 7A power adapter, with a wide 100-275V AC input range, ensures stable operation. The Thinvent® IPC3 is your dependable partner for mission-critical industrial deployment.



Specifications

PROCESSING

| | |
|-----------------|---------|
| Generation | 13th |
| Series | i3 |
| Processor Brand | Intel |
| Processor Model | 1315U |
| Cores | 6 |
| Max Frequency | 4.5 GHz |
| Cache | 10 MB |
| Main Memory | 4 GB |
| SSD Storage | 512 GB |

DISPLAY

| | |
|------|---|
| HDMI | 1 |
| VGA | 1 |

AUDIO

| | |
|-------------|---|
| Speaker Out | 1 |
| Mic In | 1 |

CONNECTIVITY

| | |
|-------------------|------------------|
| USB 3.2 | 2 |
| USB 2.0 | 2 |
| Front USB 2.0 | 4 |
| Front Serial Port | 2 DB9 male RS232 |

NETWORKING

| | |
|---------------------|-------------------------------|
| Ethernet | 1000 Mbps |
| Wireless Networking | Wi-Fi 5 (802.11ac), dual band |

POWER

| | |
|--------------|--|
| DC Voltage | 12 Volts |
| DC Current | 5 Amps |
| Power Input | 100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre |

ENVIRONMENTAL

| | |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 50°C |
| Operating Humidity | 20% ~ 80% RH, non condensing |
| Certifications | RoHS, ISO |

PHYSICAL

| | |
|----------------------|-------------------------|
| Form Factor | Industrial PC |
| Thermal Design | Fanless Passive Cooling |
| Dimensions | 200mm × 184mm × 52mm |
| Packing Dimensions | 340mm × 235mm × 105mm |
| Housing Material | Aluminium |
| Housing Finish | Anodised |
| Housing Colour | Silver |
| Net and Gross Weight | 2.38kg, 2.80kg |

OPERATING SYSTEM

| | |
|------------------|--|
| Operating System | Thinvent® Thinux™ Embedded Linux |
| OS Features | Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP. |

Ordering Information

| PRODUCT CODE | |
|--|--|
| IPC3-i3_13-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories] | |
| RAM | 4 = 4GB DDR4 8 = 8GB DDR4 16 = 16GB DDR4 32 = 32GB DDR4 64 = 64GB DDR4 |
| SSD | m128 = 128GB m256 = 256GB m32 = 32GB m512 = 512GB m1024 = 1TB |
| Wireless | m = Dual Band WiFi X = No WiFi |
| OS | DOS = DOS W_OS = Without OS 11V = Windows 11 IoT Value 11P = Windows 11 Pro Thinux = Thinux™ Embedded Linux U = Ubuntu Linux |
| Accessories | 0 = None 4S = Quad DB9 Serial |

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing
 #11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
 UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

