



# Thinvent Industrial PC IPC3

## Intel Core i3-1315U processor

6 core, up to 4.5 GHz, 10 MB cache

## 64GB DDR4 RAM

## 512GB SSD

## Dual Band WiFi

## DOS



SKU: IPC3-I3\_13-64-M512-12\_5-M-DOS-0

Uncompromising Power. Unwavering Reliability. Built for the Edge.

Introducing the Thinvent® Industrial PC IPC3: a robust, fanless computing solution engineered for the most demanding industrial and IoT environments. Proudly 100% designed in India, this rugged PC ensures continuous 24x7 operation, delivering high performance where it matters most.

### Exceptional Performance for Critical Tasks

At its core, the Intel® Core™ i3-1315U processor boasts 6 cores with speeds up to 4.5 GHz and a 10 MB cache, providing formidable processing power for complex applications. Coupled with 8GB DDR4 RAM and a lightning-fast 256GB SSD, experience seamless multitasking and rapid data access, crucial for critical industrial operations.

### Industrial-Grade Durability & Connectivity

Built to last, the IPC3 features a sleek, silver anodised aluminium housing, ensuring maximum heat dissipation without the need for a fan – eliminating moving parts and significantly enhancing reliability in dusty or harsh conditions. Its compact 200mm x 184mm x 52mm footprint makes it ideal for space-constrained installations.


### Connectivity for Every Need

- Extensive I/O includes 1x HDMI, 1x VGA, 2x USB 3.2, 2x USB 2.0, plus 4x front USB 2.0 for convenient access.
- Reliable 1000 Mbps Ethernet and dual-band Wi-Fi 5 (802.11ac) ensure robust network communication.
- Audio ports (Mic In, Speaker Out) provide comprehensive multimedia support.

### Designed for Extreme Environments

Operate confidently from 0°C to 50°C with 20% ~ 80% non-condensing humidity. RoHS and ISO certifications guarantee quality and environmental compliance. Pre-installed with FreeDOS, it offers a clean slate for your specialised industrial software.

Powering your industrial future, reliably.



# Thinvent Industrial PC IPC3



## Specifications

### PROCESSING

---

Generation	13th
Series	i3
Processor Brand	Intel
Processor Model	1315U
Cores	6
Max Frequency	4.5 GHz
Cache	10 MB
Main Memory	64 GB
SSD Storage	512 GB

### DISPLAY

---

HDMI	1
VGA	1

### AUDIO

---

Speaker Out	1
Mic In	1

### CONNECTIVITY

---

USB 3.2	2
USB 2.0	2
Front USB 2.0	4
Front Serial Port	2 DB9 male RS232

### NETWORKING

---

Ethernet	1000 Mbps
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

### POWER

---

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

### ENVIRONMENTAL

---

Operating Temperature	0°C ~ 50°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	RoHS, ISO

### PHYSICAL

---

Form Factor	Industrial PC
Thermal Design	Fanless Passive Cooling
Dimensions	200mm × 184mm × 52mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Aluminium
Housing Finish	Anodised
Housing Colour	Silver
Net and Gross Weight	2.38kg, 2.80kg

### OPERATING SYSTEM

---

Operating System	FreeDOS
------------------	---------

## Ordering Information

PRODUCT CODE	
<b>IPC3-i3_13-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]</b>	
RAM	<b>4</b> = 4GB DDR4 <b>8</b> = 8GB DDR4 <b>16</b> = 16GB DDR4 <b>32</b> = 32GB DDR4 <b>64</b> = 64GB DDR4
SSD	<b>m128</b> = 128GB <b>m256</b> = 256GB <b>m32</b> = 32GB <b>m512</b> = 512GB <b>m1024</b> = 1TB
Wireless	<b>m</b> = Dual Band WiFi <b>X</b> = No WiFi
OS	<b>DOS</b> = DOS <b>W_OS</b> = Without OS <b>11V</b> = Windows 11 IoT Value <b>11P</b> = Windows 11 Pro <b>Thinux</b> = Thinux™ Embedded Linux <b>U</b> = Ubuntu Linux
Accessories	<b>0</b> = None <b>4S</b> = Quad DB9 Serial

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

**R&D and Manufacturing**  
 #11 Sports Complex  
 Salvador Do Mundo  
 North Goa - 403101, India

**Sales**  
 UGF-10-A Omaxe Gurgaon Mall  
 Sector 49, Sohna Road  
 Gurgaon - 122018, India

