



# Thinvent Industrial PC IPC3

## Intel Core i3-1315U processor

6 core, up to 4.5 GHz, 10 MB cache

## 16GB DDR4 RAM (2 x 8GB)

## 128GB SSD

## Dual Band WiFi

## Thinux Embedded Linux

## Quad DB9 Serial



SKU: IPC3-I3\_13-8\_8-M128-12\_5-M-THINUX-4S

## Unleash Uncompromising Reliability: The Thinvent® Industrial PC IPC3.

Engineered for the toughest challenges, the Thinvent® IPC3 is a rugged, fanless Industrial PC, 100% designed in India for unwavering 24x7 operation in harsh environments. Its anodised silver aluminium housing provides exceptional durability and a compact 200x184x52mm footprint, perfect for industrial and IoT applications.

Powered by an Intel® Core™ i3-1315U processor with 6 cores boosting up to 4.5 GHz and 10 MB cache, coupled with 16GB DDR4 RAM and a swift 128GB SSD, the IPC3 delivers robust performance for critical tasks. Its 12V 7A DC input, supplied by a wide-range 100-275V AC adapter with a 2-metre cable, ensures stable operation. Stay connected with integrated dual-band Wi-Fi 5 (802.11ac) and 1000 Mbps Ethernet.


### Connectivity at Your Fingertips

- A remarkable six DB9 male RS232 serial ports

- Two USB 3.2 and six USB 2.0 ports (four front)
- HDMI and VGA for versatile display options
- Speaker Out and Mic In

Pre-installed with Thinvent® Thinux™ Embedded Linux, the IPC3 offers a secure, stable, and feature-rich environment. Enjoy built-in Chromium and Mozilla Firefox, advanced remote display via RDP 10 (RemoteFX, H.264/AVC), Putty, SSH, and VNC shadowing. Browser-based remote management streamlines operations. Develop and deploy applications with Java, Python, and glibc support, and utilize included LibreOffice, PDF viewer, multimedia player, and SIP video/voice over IP.

Designed for extremes, it operates flawlessly from 0°C to 50°C with 20-80% non-condensing humidity. RoHS and ISO certified, the Thinvent® IPC3 is the intelligent choice for dependable industrial computing.



# Thinvent Industrial PC IPC3



## Specifications

### PROCESSING

|                 |         |
|-----------------|---------|
| Generation      | 13th    |
| Series          | i3      |
| Processor Brand | Intel   |
| Processor Model | 1315U   |
| Cores           | 6       |
| Max Frequency   | 4.5 GHz |
| Cache           | 10 MB   |
| Main Memory     | 16 GB   |
| SSD Storage     | 128 GB  |

### DISPLAY

|      |   |
|------|---|
| HDMI | 1 |
| VGA  | 1 |

### AUDIO

|             |   |
|-------------|---|
| Speaker Out | 1 |
| Mic In      | 1 |

### CONNECTIVITY

|                   |                  |
|-------------------|------------------|
| USB 3.2           | 2                |
| USB 2.0           | 2                |
| Front USB 2.0     | 4                |
| Front Serial Port | 2 DB9 male RS232 |
| Rear Serial Port  | 4 DB9 male RS232 |

### NETWORKING

|                     |                               |
|---------------------|-------------------------------|
| Ethernet            | 1000 Mbps                     |
| Wireless Networking | Wi-Fi 5 (802.11ac), dual band |

### POWER

|              |                                              |
|--------------|----------------------------------------------|
| DC Voltage   | 12 Volts                                     |
| DC Current   | 5 Amps                                       |
| Power Input  | 100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre                                      |

### ENVIRONMENTAL

|                       |                              |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 50°C                   |
| Operating Humidity    | 20% ~ 80% RH, non condensing |
| Certifications        | RoHS, ISO                    |

### PHYSICAL

|                      |                         |
|----------------------|-------------------------|
| Form Factor          | Industrial PC           |
| Thermal Design       | Fanless Passive Cooling |
| Dimensions           | 200mm × 184mm × 52mm    |
| Packing Dimensions   | 340mm × 235mm × 105mm   |
| Housing Material     | Aluminium               |
| Housing Finish       | Anodised                |
| Housing Colour       | Silver                  |
| Net and Gross Weight | 2.38kg, 2.80kg          |

### OPERATING SYSTEM

|                  |                                                                                                                                                                                                                                                                                                                                                                   |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operating System | Thinvent® Thinux™ Embedded Linux                                                                                                                                                                                                                                                                                                                                  |
| OS Features      | <p>Chromium and Mozilla Firefox browsers.</p> <p>RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display.</p> <p>Browser based remote management. VNC shadowing.</p> <p>Java, Python and glibc based location application support.</p> <p>LibreOffice and PDF viewer.</p> <p>Multimedia player with MPEG4 support.</p> <p>SIP video and voice over IP.</p> |

## Ordering Information

### PRODUCT CODE

**IPC3-i3\_13-[RAM]-[SSD]-12\_7-[Wireless]-[OS]-[Accessories]**

|             |                                            |                                            |                                         |                       |
|-------------|--------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------|
| RAM         | <b>4</b> = 4GB DDR4                        | <b>8</b> = 8GB DDR4                        | <b>16</b> = 16GB DDR4                   | <b>32</b> = 32GB DDR4 |
|             | <b>32_32</b> = 64GB<br>DDR4 RAM (2 x 32GB) | <b>16_16</b> = 32GB<br>DDR4 RAM (2 x 16GB) | <b>8_8</b> = 16GB DDR4<br>RAM (2 x 8GB) |                       |
| SSD         | <b>m128</b> = 128GB                        |                                            | <b>m256</b> = 256GB                     |                       |
|             | <b>m512</b> = 512GB                        |                                            | <b>m1024</b> = 1TB                      |                       |
| Wireless    | <b>m</b> = Dual Band WiFi                  |                                            | <b>X</b> = No WiFi                      |                       |
| OS          | <b>DOS</b> = DOS                           |                                            | <b>W_OS</b> = Without OS                |                       |
|             | <b>11V</b> = Windows 11 IoT Value          |                                            | <b>11P</b> = Windows 11 Pro             |                       |
|             | <b>Thinix</b> = Thinix™ Embedded Linux     |                                            | <b>U</b> = Ubuntu Linux                 |                       |
| Accessories | <b>0</b> = None                            |                                            | <b>4S</b> = Quad DB9 Serial             |                       |

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

### R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

### Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

