



Thinvent Industrial PC IPC5

Intel Core Ultra 5 125U processor

12 core, up to 4.3 GHz, 12 MB cache

Dual LAN

32GB DDR5 RAM

512GB SSD

Dual Band WiFi

Thinux Embedded Linux

SKU: IPC5-CU5_14L-32_5-M512-12_5-M-THINUX-0



Unleash the power of the industrial edge.

Engineered for the real world, the Thinvent® IPC5 delivers robust, reliable computing where it matters most. This fanless industrial PC is built to thrive in demanding environments, offering silent, maintenance-free operation with a sleek, anodised grey aluminium housing that stands up to dust, vibration, and wide temperature ranges.

Ready for anything your operation throws at it

- Advanced performance for complex tasks like machine vision, real-time analytics, and industrial automation.

- Exceptional connectivity with dual LAN ports, multiple serial connections, and high-speed USB for seamless integration with machinery and sensors.
- Flexible remote management through a browser-based interface, VNC, and RDP for effortless control and monitoring from anywhere.
- A versatile platform supporting industrial applications, multimedia, VoIP, and office tools right out of the box on our optimised Thinux™ OS.

100% designed in India for global resilience. Choose the IPC5 for a future-proof foundation that powers innovation at the edge.



Specifications

PROCESSING

| | |
|-----------------|---------|
| Generation | 14th |
| Series | Ultra 5 |
| Processor Brand | Intel |
| Processor Model | 125U |
| Cores | 12 |
| Max Frequency | 4.3 GHz |
| Cache | 12 MB |
| Main Memory | 32 GB |
| SSD Storage | 512 GB |

DISPLAY

| | |
|----------|---|
| HDMI 2.0 | 1 |
| VGA | 1 |

AUDIO

| | |
|-------------------|---|
| Speaker Out | 1 |
| Mic In | 1 |
| Front Speaker Out | 1 |
| Front Mic In | 1 |

CONNECTIVITY

| | |
|-------------------|------------------|
| USB 3.2 | 2 |
| USB 2.0 | 2 |
| Front USB 2.0 | 2 |
| Front Serial Port | 2 DB9 male RS232 |
| RS485 Option | 1 |

NETWORKING

| | |
|---------------------|-------------------------------|
| Ethernet | 1000 Mbps |
| Ethernet Ports | 2 |
| Wireless Networking | Wi-Fi 5 (802.11ac), dual band |

POWER

| | |
|-------------|--|
| DC Voltage | 12 Volts |
| DC Current | 5 Amps |
| Power Input | 100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum |

ENVIRONMENTAL

| | |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 50°C |
| Operating Humidity | 20% ~ 80% RH, non condensing |
| Certifications | RoHS, ISO |

PHYSICAL

| | |
|----------------------|-------------------------|
| Form Factor | Industrial PC |
| Thermal Design | Fanless Passive Cooling |
| Dimensions | 197mm × 210mm × 65mm |
| Packing Dimensions | 340mm × 235mm × 105mm |
| Housing Material | Aluminium |
| Housing Finish | Anodised |
| Housing Colour | Dark Grey |
| Net and Gross Weight | 2.83kg, 3.25kg |

OPERATING SYSTEM

| | |
|------------------|--|
| Operating System | Thinvent® Thinux™ Embedded Linux |
| OS Features | Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP. |

Cable Length

2 Metre

Ordering Information

| PRODUCT CODE | | | |
|--|---|-------------------------|--|
| IPC5-cu5_14L-[RAM]-[SSD]-12_5-[Wireless]-[OS]-[Accessories] | | | |
| RAM | 8_5 = 8GB DDR5 | 16_5 = 16GB DDR5 | 32_5 = 32GB DDR5 |
| SSD | m128 = 128GB m32 = 32GB m1024 = 1TB | | m256 = 256GB m512 = 512GB |
| Wireless | m = Dual Band WiFi | | X = No WiFi |
| OS | DOS = DOS 11V = Windows 11 IoT Value Thinix = Thinix™ Embedded Linux | | W_OS = Without OS 11P = Windows 11 Pro U = Ubuntu Linux |
| Accessories | 0 = None | | 4S = Quad DB9 Serial |

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex
Salvador Do Mundo
North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall
Sector 49, Sohna Road
Gurgaon - 122018, India

