Thinvent Industrial PC IPC5

Intel Core Ultra 5 125U processor

12 core, up to 4.3 GHz, 12 MB cache

Dual LAN

8GB DDR5 RAM

256GB SSD

Dual Band WiFi

Thinux Embedded Linux

Quad DB9 Serial



SKU: IPC5-CU5_14L-8_5-M256-12_7-M-THINUX-4S

The Powerhouse at the Edge: Rugged Industrial Computing, Redefined.

Engineered for Demanding Environments

This isn't just a computer; it's a resilient partner for your most critical operations. With its robust fanless design and aluminium housing, the IPC5 thrives where others falter—withstanding dust, vibration, and wide temperature ranges on the factory floor or at the network edge.

Uncompromised Performance for Complex Tasks

Harness substantial processing power to drive advanced applications effortlessly. From real-time machine vision analytics and sophisticated automation control to intelligent edge computing, this industrial PC delivers the reliable, consistent performance needed to keep your systems running smoothly.


Maximum Connectivity, Ultimate Integration

Forget adapters and complicated setups. With its wealth of built-in legacy and modern ports, the IPC5 connects seamlessly to a vast array of industrial equipment, sensors, and networks. This simplifies installation, reduces points of failure, and ensures you can interface with both new and existing machinery without hassle.

Simplified Management & Built to Last

Gain peace of mind with easy remote monitoring and management capabilities, allowing you to maintain control from anywhere. Proudly 100% designed in India, the IPC5 combines intelligent engineering with a sleek, anodised grey finish, offering a durable and professional solution that is built for the long haul.







Thinvent Industrial PC IPC5

Specifications

PROCESSING

Generation	14th
Series	Ultra 5
Processor Brand	Intel
Processor Model	125U
Cores	12
Max Frequency	4.3 GHz
Cache	12 MB
Main Memory	8 GB
SSD Storage	256 GB

DISPLAY

HDMI 2.0	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1
Front Speaker Out	1
Front Mic In	1

CONNECTIVITY

USB 3.2	2
USB 2.0	2
Front USB 2.0	2
Front Serial Port	2 DB9 male RS232
Rear Serial Port	4 DB9 male RS232
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

POWER

DC Voltage	12 Volts
DC Current	7 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum

ENVIRONMENTAL

Operating Temperature	0°C ~ 50°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	RoHS, ISO

PHYSICAL

Form Factor	Industrial PC
Thermal Design	Fanless Passive Cooling
Dimensions	197mm × 210mm × 65mm
Packing Dimensions	200mm × 155mm × 37mm
Housing Material	Aluminium
Housing Finish	Anodised
Housing Colour	Dark Grey
Net and Gross Weight	2.92kg, 3.72kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

	Amps maximum
Cable Length	2 Metre

Thinvent Industrial PC IPC5

Ordering Information

PRODUCT CODE

`IPC5-cu5_14l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]`

RAM	**8_5** = 8GB DDR5	**16_5** = 16GB DDR5	**32_5** = 32GB DDR5	**32_32_5** = 64GB DDR5 RAM (2 x 32GB)
	16_16_5 = 32GB DDR5 RAM (2 x 16GB)	**8_8_5** = 16GB DDR5 RAM (2 x 8GB)		
SSD	**m128** = 128GB		**m256** = 256GB	
	m512 = 512GB		**m1024** = 1TB	
	m2048 = 2TB			
Wireless	**m** = Dual Band WiFi		**X** = No WiFi	
OS	**DOS** = DOS		**W_OS** = Without OS	
	11V = Windows 11 IoT Value		**11P** = Windows 11 Pro	
	11O = Windows 11 Professional		**Thinux** = Thinux™ Embedded Linux	
	U = Ubuntu Linux			
Accessories	**0** = None		**4S** = Quad DB9 Serial	

www.thinvent.in sales@thinvent.in +91-11-430-77467 +91-99903-44251

R&D and Manufacturing
#11 Sports Complex
Salvador Do Mundo
North Goa - 403101, India

Sales
UGF-10-A Omaxe Gurgaon Mall
Sector 49, Sohna Road
Gurgaon - 122018, India