



# Thinvent Industrial PC IPC5

## Intel Core i5-1240P processor

12 core, up to 4.4 GHz, 12 MB cache

## Dual LAN

## 16GB DDR4 RAM

## 1TB SSD

## Dual Band WiFi

## Thinux Embedded Linux

SKU: IPC5-I5\_12L-16-M1024-12\_5-M-THINUX-0



Unlock the next generation of industrial intelligence, designed to thrive where others fail.

### Engineered for relentless performance

Harness the power of a 12th Gen Intel Core processor for demanding tasks like real-time machine vision and complex edge computing. This fanless industrial PC delivers uncompromising performance without a single moving part, ensuring total reliability in harsh, dusty environments.

### Built for the most demanding environments

Its rugged, all-aluminium chassis with a smooth anodised finish isn't just for show. It provides superior thermal management and robust protection, built to operate flawlessly from the factory floor to the outdoor edge. This is industrial-grade resilience, 100% designed in India.

### Connectivity to control it all

With dual LAN ports, serial connectivity, and dual-band Wi-Fi, it seamlessly integrates into existing networks and legacy systems. Manage everything remotely with ease through the browser-based interface or advanced remote access tools, keeping your operations running smoothly from anywhere.

### Your platform for innovation

Pre-loaded with Thinvent Thinux, it offers a secure and stable foundation for custom industrial applications, from automation control to data aggregation. It's the robust, powerful, and connected heart your advanced industrial solutions need.



## Specifications

### PROCESSING

---

Generation	12th
Series	i5
Processor Brand	Intel
Processor Model	1240P
Cores	12
Max Frequency	4.4 GHz
Cache	12 MB
Main Memory	16 GB
SSD Storage	1024 GB

### DISPLAY

---

HDMI	1
VGA	1

### AUDIO

---

Speaker Out	1
Mic In	1
Front Speaker Out	1
Front Mic In	1

### CONNECTIVITY

---

USB 3.2	2
Front USB 2.0	4
Front Serial Port	2 DB9 male RS232

### NETWORKING

---

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

### POWER

---

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

### ENVIRONMENTAL

---

Operating Temperature	0°C ~ 50°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	RoHS, ISO

### PHYSICAL

---

Form Factor	Industrial PC
Thermal Design	Fanless Passive Cooling
Dimensions	197mm × 210mm × 65mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Aluminium
Housing Finish	Anodised
Housing Colour	Dark Grey
Net and Gross Weight	2.83kg, 3.25kg

### OPERATING SYSTEM

---

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

## Ordering Information

PRODUCT CODE	
<b>IPC5-i5_121-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]</b>	
RAM	<b>4</b> = 4GB DDR4 <b>8</b> = 8GB DDR4 <b>16</b> = 16GB DDR4 <b>32</b> = 32GB DDR4 <b>64</b> = 64GB DDR4
SSD	<b>m128</b> = 128GB <b>m256</b> = 256GB <b>m32</b> = 32GB <b>m512</b> = 512GB <b>m1024</b> = 1TB
Wireless	<b>m</b> = Dual Band WiFi <b>X</b> = No WiFi
OS	<b>DOS</b> = DOS <b>W_OS</b> = Without OS <b>11V</b> = Windows 11 IoT Value <b>11P</b> = Windows 11 Pro <b>Thinux</b> = Thinux™ Embedded Linux <b>U</b> = Ubuntu Linux
Accessories	<b>0</b> = None <b>4S</b> = Quad DB9 Serial

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

+91-99903-44251

**R&D and Manufacturing**  
 #11 Sports Complex  
 Salvador Do Mundo  
 North Goa - 403101, India

**Sales**  
 UGF-10-A Omaxe Gurgaon Mall  
 Sector 49, Sohna Road  
 Gurgaon - 122018, India

