



Thinvent Industrial PC IPC5

Intel Core i5-1240P processor

12 core, up to 4.4 GHz, 12 MB cache

Dual LAN

32GB DDR4 RAM

512GB SSD

No WiFi

Thinix Embedded Linux

Quad DB9 Serial

SKU: IPC5-I5_12L-32-M512-12_5-X-THINUX-4S



Engineered for the extremes of industry.

Meet the IPC5: a powerhouse of rugged reliability built to drive your most demanding applications. Designed from the ground up in India, it delivers exceptional performance where it matters most, from the factory floor to the network edge.

Unmatched power for intelligent automation

Harness substantial processing muscle to handle complex tasks like advanced machine vision, real-time data analytics, and precision control systems. Its robust architecture ensures seamless operation for your critical industrial software.

Built tough for any environment

With a fanless, solid-state design encased in a sleek, anodised aluminium chassis, this PC thrives where others fail. It operates silently and reliably in dusty, vibrating, or temperature-challenged settings, eliminating points of failure.

Connect and control with absolute confidence

Boasting extensive connectivity, it integrates seamlessly with a legacy of industrial equipment and modern networks. This makes it the perfect central hub for automation panels, sophisticated edge computing nodes, and dedicated process controllers.

Your robust platform for innovation

Pre-loaded with a secure, versatile embedded OS, it provides a stable and customisable foundation for specialised applications. It's ready to become the resilient brain of your operation, ensuring peak performance day in and day out.



Specifications

PROCESSING

Generation	12th
Series	i5
Processor Brand	Intel
Processor Model	1240P
Cores	12
Max Frequency	4.4 GHz
Cache	12 MB
Main Memory	32 GB
SSD Storage	512 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1
Front Speaker Out	1
Front Mic In	1

CONNECTIVITY

USB 3.2	2
Front USB 2.0	4
Front Serial Port	2 DB9 male RS232
Rear Serial Port	4 DB9 male RS232

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2

POWER

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 50°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	RoHS, ISO

PHYSICAL

Form Factor	Industrial PC
Thermal Design	Fanless Passive Cooling
Dimensions	197mm × 210mm × 65mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Aluminium
Housing Finish	Anodised
Housing Colour	Dark Grey
Net and Gross Weight	2.83kg, 3.25kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Ordering Information

PRODUCT CODE	
IPC5-i5_121-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]	
RAM	4 = 4GB DDR4 8 = 8GB DDR4 16 = 16GB DDR4 32 = 32GB DDR4 64 = 64GB DDR4
SSD	m128 = 128GB m256 = 256GB m32 = 32GB m512 = 512GB m1024 = 1TB
Wireless	m = Dual Band WiFi X = No WiFi
OS	DOS = DOS W_OS = Without OS 11V = Windows 11 IoT Value 11P = Windows 11 Pro Thinux = Thinux™ Embedded Linux U = Ubuntu Linux
Accessories	0 = None 4S = Quad DB9 Serial

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing
 #11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
 UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

