



Thinvent Industrial PC IPC5

Intel Core i7-1255U processor

10 core, up to 4.7 GHz, 12 MB cache

Dual LAN

32GB DDR4 RAM (2 x 16GB)

256GB SSD

Dual Band WiFi

Thinux Embedded Linux

Quad DB9 Serial

SKU: IPC5-I7_12L-16_16-M256-12_5-M-THINUX-4S



Unleash robust intelligence at the industrial edge.

Engineered for Demanding Environments

This high-performance industrial PC is built to thrive where others falter. Its 100% fanless design and rugged aluminium housing ensure silent, reliable operation free from dust and failure, even in the harshest conditions. The smooth anodised grey finish isn't just for looks—it provides superior durability for continuous use.

Power for Advanced Applications

Harness serious processing muscle to drive your most critical operations. From complex machine vision systems and real-time edge computing to advanced automation controls, this unit delivers the uncompromising performance needed to keep your processes sharp, responsive, and intelligent.

Maximum Connectivity, Minimal Fuss

Built to integrate seamlessly into existing infrastructures, it offers extensive legacy and modern connectivity. Manage multiple devices and networks effortlessly with dual Gigabit LAN and quad serial ports, all while maintaining a compact, clutter-free footprint.

Simplify Remote Management

Gain complete oversight from anywhere. The integrated Thinux™ operating system includes powerful tools for browser-based remote management, secure system shadowing, and remote desktop access, dramatically reducing downtime and the need for physical intervention.

100% Designed in India for Global Reliability.



Thinvent Industrial PC IPC5



Specifications

PROCESSING

Generation	12th
Series	i7
Processor Brand	Intel
Processor Model	1255U
Cores	10
Max Frequency	4.7 GHz
Cache	12 MB
Main Memory	32 GB
SSD Storage	256 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1
Front Speaker Out	1
Front Mic In	1

CONNECTIVITY

USB 3.2	2
Front USB 2.0	3
Front Serial Port	2 DB9 male RS232
Rear Serial Port	4 DB9 male RS232
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

POWER

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum

ENVIRONMENTAL

Operating Temperature	0°C ~ 50°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	RoHS, ISO

PHYSICAL

Form Factor	Industrial PC
Thermal Design	Fanless Passive Cooling
Dimensions	197mm × 210mm × 65mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Aluminium
Housing Finish	Anodised
Housing Colour	Dark Grey
Net and Gross Weight	2.83kg, 3.25kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Cable Length

2 Metre

Ordering Information

PRODUCT CODE				
IPC5-i7_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]				
RAM	4 = 4GB DDR4	8 = 8GB DDR4	16 = 16GB DDR4	32 = 32GB DDR4
	32_32 = 64GB DDR4 RAM (2 x 32GB)	16_16 = 32GB DDR4 RAM (2 x 16GB)	8_8 = 16GB DDR4 RAM (2 x 8GB)	
SSD	m128 = 128GB		m256 = 256GB	
	m512 = 512GB		m1024 = 1TB	
Wireless	m = Dual Band WiFi		X = No WiFi	
OS	DOS = DOS		W_OS = Without OS	
	11V = Windows 11 IoT Value		11P = Windows 11 Pro	
	Thinix = Thinix™ Embedded Linux		U = Ubuntu Linux	
Accessories	0 = None		4S = Quad DB9 Serial	

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

