



Thinvent Industrial PC IPC5

Intel Core i7-1255U processor

10 core, up to 4.7 GHz, 12 MB cache

Dual LAN

64GB DDR4 RAM (2 x 32GB)

2TB SSD

Dual Band WiFi

Thinux Embedded Linux

SKU: IPC5-I7_12L-32_32-M2048-12_5-M-THINUX-0



Engineered for the relentless edge.

Uncompromising Power for Advanced Automation

Tackle complex industrial tasks with confidence. This high-performance industrial PC delivers the robust processing muscle needed for demanding applications like machine vision and real-time edge computing, ensuring your operations keep pace without breaking a sweat.

Built Tough for Any Environment

Designed to thrive where others falter. Its rugged, fanless aluminium construction ensures flawless 24/7 operation in harsh conditions, free from the dust and vibration that disrupt lesser systems. The sleek, anodised grey finish isn't just for looks—it's a statement of durable, reliable engineering.

Maximum Connectivity, Seamless Integration

Forget compatibility headaches. With a wealth of legacy and modern ports, this unit seamlessly bridges the gap between new and existing equipment. Comprehensive remote management and support for major industrial protocols turn complex networks into a unified, easily controlled ecosystem.

Simplify Control with Intelligent Design

Gain complete oversight from anywhere. The integrated platform includes powerful tools for remote access, display, and system management, allowing you to monitor and adjust processes without setting foot on the factory floor. It's industrial computing, made brilliantly simple and accessible.

Proudly conceived and refined with precision engineering in India.



Thinvent Industrial PC IPC5



Specifications

PROCESSING

Generation	12th
Series	i7
Processor Brand	Intel
Processor Model	1255U
Cores	10
Max Frequency	4.7 GHz
Cache	12 MB
Main Memory	64 GB
SSD Storage	2048 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1
Front Speaker Out	1
Front Mic In	1

CONNECTIVITY

USB 3.2	2
Front USB 2.0	3
Front Serial Port	2 DB9 male RS232
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

POWER

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 50°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	RoHS, ISO

PHYSICAL

Form Factor	Industrial PC
Thermal Design	Fanless Passive Cooling
Dimensions	197mm × 210mm × 65mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Aluminium
Housing Finish	Anodised
Housing Colour	Dark Grey
Net and Gross Weight	2.83kg, 3.25kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Ordering Information

PRODUCT CODE

IPC5-i7_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]

RAM

4 = 4GB DDR4

8 = 8GB DDR4

16 = 16GB DDR4

32 = 32GB DDR4

32_32 = 64GB
DDR4 RAM (2 x
32GB)16_16 = 32GB
DDR4 RAM (2 x
16GB)8_8 = 16GB DDR4
RAM (2 x 8GB)

SSD

m128 = 128GB

m512 = 512GB

m2048 = 2TB

m256 = 256GB

m1024 = 1TB

Wireless

m = Dual Band WiFi

X = No WiFi

OS

DOS = DOS

11V = Windows 11 IoT Value

110 = Windows 11 Professional

U = Ubuntu Linux

W_OS = Without OS

11P = Windows 11 Pro

Thinix = Thinix™ Embedded Linux

Accessories

0 = None

4S = Quad DB9 Serial

www.thinvent.insales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

