



Thinvent Industrial PC IPC5

Intel Core i7-1255U processor

10 core, up to 4.7 GHz, 12 MB cache

Dual LAN

64GB DDR4 RAM (2 x 32GB)

2TB SSD

Dual Band WiFi

Thinix Embedded Linux

Quad DB9 Serial

SKU: IPC5-I7_12L-32_32-M2048-12_7-M-THINUX-4S



Unleash robust intelligence at the industrial edge.

Engineered for Demanding Environments

This high-performance industrial PC is built to thrive where others falter. Its 100% fanless design and rugged aluminium housing ensure silent, reliable operation free from dust and failure, even in the harshest conditions. The smooth anodised grey finish isn't just for looks—it provides superior durability for continuous use.

Power for Advanced Applications

Harness serious processing muscle to drive your most critical operations. From complex machine vision systems and real-time edge computing to advanced automation controls, this unit delivers the uncompromising performance needed to keep your processes sharp, responsive, and intelligent.

Maximum Connectivity, Minimal Fuss

Built to integrate seamlessly into existing infrastructures, it offers extensive legacy and modern connectivity. Manage multiple devices and networks effortlessly with dual Gigabit LAN and quad serial ports, all while maintaining a compact, clutter-free footprint.

Simplify Remote Management

Gain complete oversight from anywhere. The integrated Thinix™ operating system includes powerful tools for browser-based remote management, secure system shadowing, and remote desktop access, dramatically reducing downtime and the need for physical intervention.

100% Designed in India for Global Reliability.



Thinvent Industrial PC IPC5



Specifications

PROCESSING

Generation	12th
Series	i7
Processor Brand	Intel
Processor Model	1255U
Cores	10
Max Frequency	4.7 GHz
Cache	12 MB
Main Memory	64 GB
SSD Storage	2048 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1
Front Speaker Out	1
Front Mic In	1

CONNECTIVITY

USB 3.2	2
Front USB 2.0	3
Front Serial Port	2 DB9 male RS232
Rear Serial Port	4 DB9 male RS232
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

POWER

DC Voltage	12 Volts
DC Current	7 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum

ENVIRONMENTAL

Operating Temperature	0°C ~ 50°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	RoHS, ISO

PHYSICAL

Form Factor	Industrial PC
Thermal Design	Fanless Passive Cooling
Dimensions	197mm × 210mm × 65mm
Packing Dimensions	340mm × 235mm × 105mm
Housing Material	Aluminium
Housing Finish	Anodised
Housing Colour	Dark Grey
Net and Gross Weight	2.92kg, 3.34kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Cable Length

2 Metre

Ordering Information

PRODUCT CODE

IPC5-i7_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]

RAM

4 = 4GB DDR4

8 = 8GB DDR4

16 = 16GB DDR4

32 = 32GB DDR4

32_32 = 64GB
DDR4 RAM (2 x
32GB)16_16 = 32GB
DDR4 RAM (2 x
16GB)8_8 = 16GB DDR4
RAM (2 x 8GB)

SSD

m128 = 128GB

m512 = 512GB

m2048 = 2TB

m256 = 256GB

m1024 = 1TB

Wireless

m = Dual Band WiFi

X = No WiFi

OS

DOS = DOS

11V = Windows 11 IoT Value

110 = Windows 11 Professional

U = Ubuntu Linux

W_OS = Without OS

11P = Windows 11 Pro

Thinix = Thinix™ Embedded Linux

Accessories

0 = None

4S = Quad DB9 Serial

www.thinvent.insales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

