



Thinvent Industrial PC IPC5

Intel Core i7-1255U processor

10 core, up to 4.7 GHz, 12 MB cache

Dual LAN

8GB DDR4 RAM

128GB SSD

Dual Band WiFi

DOS

Quad DB9 Serial

SKU: IPC5-I7_12L-8-M128-12_7-M-DOS-4S



Power Where It Matters Most: Unmatched Performance for Demanding Industrial Applications.

Engineered to excel in the harshest environments, the Thinvent IPC5 is the robust computing core your advanced operations demand. Its rugged, fanless aluminium chassis ensures silent, dustproof reliability in settings where others would fail, from the factory floor to the remote edge.

Built for the Real World

- Conquer complex tasks with effortless speed, from real-time machine vision and data analytics to sophisticated automation control.
- Connect everything with extensive legacy and modern I/O, including multiple serial ports, ensuring seamless integration with existing machinery and sensors.

- Deploy with absolute confidence in extreme conditions, thanks to its wide operating temperature range and durable, vibration-resistant design.
- Harness serious computing power for edge AI and industrial IoT, processing critical data locally for faster insights and reduced latency.

100% designed in India to meet global challenges, this industrial PC combines formidable power with unwavering resilience. Choose the IPC5 for a future-proof foundation that drives efficiency and intelligence right where your business needs it.



Specifications

PROCESSING

| | |
|-----------------|---------|
| Generation | 12th |
| Series | i7 |
| Processor Brand | Intel |
| Processor Model | 1255U |
| Cores | 10 |
| Max Frequency | 4.7 GHz |
| Cache | 12 MB |
| Main Memory | 8 GB |
| SSD Storage | 128 GB |

DISPLAY

| | |
|------|---|
| HDMI | 1 |
| VGA | 1 |

AUDIO

| | |
|-------------------|---|
| Speaker Out | 1 |
| Mic In | 1 |
| Front Speaker Out | 1 |
| Front Mic In | 1 |

CONNECTIVITY

| | |
|-------------------|------------------|
| USB 3.2 | 2 |
| Front USB 2.0 | 3 |
| Front Serial Port | 2 DB9 male RS232 |
| Rear Serial Port | 4 DB9 male RS232 |
| RS485 Option | 1 |

NETWORKING

| | |
|---------------------|-------------------------------|
| Ethernet | 1000 Mbps |
| Ethernet Ports | 2 |
| Wireless Networking | Wi-Fi 5 (802.11ac), dual band |

POWER

| | |
|--------------|--|
| DC Voltage | 12 Volts |
| DC Current | 7 Amps |
| Power Input | 100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre |

ENVIRONMENTAL

| | |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 50°C |
| Operating Humidity | 20% ~ 80% RH, non condensing |
| Certifications | RoHS, ISO |

PHYSICAL

| | |
|----------------------|-------------------------|
| Form Factor | Industrial PC |
| Thermal Design | Fanless Passive Cooling |
| Dimensions | 197mm × 210mm × 65mm |
| Packing Dimensions | 340mm × 235mm × 105mm |
| Housing Material | Aluminium |
| Housing Finish | Anodised |
| Housing Colour | Dark Grey |
| Net and Gross Weight | 2.92kg, 3.34kg |

OPERATING SYSTEM

| | |
|------------------|---------|
| Operating System | FreeDOS |
|------------------|---------|

Ordering Information

| PRODUCT CODE | |
|---|--|
| IPC5-i7_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories] | |
| RAM | 4 = 4GB DDR4 8 = 8GB DDR4 16 = 16GB DDR4 32 = 32GB DDR4 64 = 64GB DDR4 |
| SSD | m128 = 128GB m256 = 256GB m32 = 32GB m512 = 512GB m1024 = 1TB |
| Wireless | m = Dual Band WiFi X = No WiFi |
| OS | DOS = DOS W_OS = Without OS 11V = Windows 11 IoT Value 11P = Windows 11 Pro Thinux = Thinux™ Embedded Linux U = Ubuntu Linux |
| Accessories | 0 = None 4S = Quad DB9 Serial |

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing
 #11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
 UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

