



Thinvent 15" Industrial Panel PC

Intel Core i7-1255U processor

10 core, up to 4.7 GHz, 12 MB cache

Dual LAN

32GB DDR4 RAM

256GB SSD

No WiFi

Thinux Embedded Linux

SKU: PPC15-I7_12L-32-M256-12_7-X-THINUX-0



Big performance for the factory floor.

The Thinvent 15" Industrial Panel PC brings desktop-class responsiveness to wherever work actually happens. With an Intel Core i7-1255U processor and 10 cores, it handles demanding applications, dashboards and multi-window workflows without hesitation, so your team spends time getting things done rather than waiting.

Why choose this panel PC

- Run rich, browser-based control and monitoring dashboards smoothly on a bright 15" display with wide viewing angles
- Keep critical operations online with dual Gigabit Ethernet, ideal for separating machine networks from office traffic
- Deploy in dusty, hot or cramped environments thanks to fanless passive cooling and a rugged aluminium housing

- Connect legacy and modern equipment alike with HDMI, VGA, USB 3.2, audio and an optional RS485 port
- Manage fleets remotely using browser-based tools, VNC shadowing and RDP, reducing costly site visits
- Rely on Thinux Embedded Linux for a stable, secure platform with LibreOffice, PDF viewing, multimedia, SIP calling and support for Java, Python and location applications
- Operate confidently on standard 100 to 240V AC power with a 12V adapter included

Whether you are upgrading an existing line or building something new, this is a dependable, low-maintenance terminal that simply keeps working.



Thinvent 15" Industrial Panel PC



Specifications

PROCESSING

Generation	12th
Series	i7
Processor Brand	Intel
Processor Model	1255U
Cores	10
Max Frequency	4.7 GHz
Cache	12 MB
Main Memory	32 GB
SSD Storage	256 GB

DISPLAY

Screen Size	15 inch
Resolution	1024 × 768
Brightness	350 nits
Viewing Angle	Horizontal 178°, Vertical 178°
HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2

POWER

DC Voltage	12 Volts
DC Current	7 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Ingress Protection	IP65
--------------------	------

PHYSICAL

Form Factor	Panel PC
Thermal Design	Fanless Passive Cooling
Housing Material	Aluminium
Net and Gross Weight	0.93kg, 0.93kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Ordering Information

PRODUCT CODE

PPC15-i7_12L-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]

RAM	4 = 4GB DDR4	8 = 8GB DDR4	16 = 16GB DDR4	32 = 32GB DDR4
	32_32 = 64GB DDR4 RAM (2 x 32GB)	16_16 = 32GB DDR4 RAM (2 x 16GB)	8_8 = 16GB DDR4 RAM (2 x 8GB)	
SSD	m128 = 128GB		m256 = 256GB	
	m512 = 512GB		m1024 = 1TB	
	m2048 = 2TB			
Wireless	m = Dual Band WiFi		X = No WiFi	
OS	DOS = DOS		W_OS = Without OS	
	11V = Windows 11 IoT Value		11P = Windows 11 Pro	
	110 = Windows 11 Professional		Thinix = Thinix™ Embedded Linux	
	U = Ubuntu Linux			
Accessories	0 = None		KM = Keyboard and Mouse set	
	MK = Mechanical Keyboard		Mo = Wired Optical Scroll Mouse	

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing
#11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

