



Thinvent 15" Industrial Panel PC

AMD Ryzen 5 7430U processor

6 core, up to 4.3 GHz, 16 MB cache

64GB DDR4 RAM (2 x 32GB)

256GB SSD

Dual Band WiFi

Thinux Embedded Linux

Thinvent Keyboard and Mouse set

SKU: PPC15-R5_7-32_32-M256-19_3-M-
THINUX-KM



Fast, responsive, and built for the factory floor.

The Thinvent® 15" Industrial Panel PC brings AMD Ryzen™ 5 performance to your production line, your control room, or your point of service. With six cores ready to handle demanding workloads, it keeps your critical applications moving without hesitation.

Why choose this panel PC?

- Run your shop floor and control room applications on a bright 15" display that stays clear from wide viewing angles, so operators can read it from wherever they stand.
- Rely on Thinux™ Embedded Linux to deliver a stable, secure platform with the browsers, remote tools, and office software your team already uses.

- Connect to your existing infrastructure with dual band WiFi, Gigabit Ethernet, and a full set of USB, HDMI, and VGA ports.
- Deploy it where space is tight and conditions are tough, thanks to its aluminium housing and fanless passive cooling.
- Manage multiple terminals remotely using RDP, VNC shadowing, and browser based tools, cutting down on site visits.
- Support Java, Python, and glibc based location applications alongside SIP video and voice over IP for unified communications.

The Thinvent 15" Industrial Panel PC is the dependable choice for businesses that need a powerful, flexible terminal that simply keeps working.



Thinvent 15" Industrial Panel PC



Specifications

PROCESSING

Generation	7000 Series
Series	Ryzen 5
Processor Brand	AMD
Processor Model	7430U
Cores	6
Max Frequency	4.3 GHz
Cache	16 MB
Main Memory	64 GB
SSD Storage	256 GB

DISPLAY

Screen Size	15 inch
Resolution	1024 × 768
Brightness	350 nits
Viewing Angle	Horizontal 178°, Vertical 178°
HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2 Gen 1	2
USB 2.0	2

NETWORKING

Ethernet	1000 Mbps
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

POWER

DC Voltage	19 Volts
DC Current	3 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Ingress Protection	IP65
--------------------	------

PHYSICAL

Form Factor	Panel PC
Thermal Design	Fanless Passive Cooling
Housing Material	Aluminium
Net and Gross Weight	0.90kg, 0.90kg

ACCESSORIES

Keyboard and Mouse	1
--------------------	---

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Ordering Information

PRODUCT CODE

PPC15-r5_7-[RAM]-[SSD]-19_3-[Wireless]-[OS]-[Accessories]

RAM

4 = 4GB DDR4

8 = 8GB DDR4

16 = 16GB DDR4

32 = 32GB DDR4

32_32 = 64GB
DDR4 RAM (2 x
32GB)16_16 = 32GB
DDR4 RAM (2 x
16GB)8_8 = 16GB DDR4
RAM (2 x 8GB)

SSD

m128 = 128GB

m512 = 512GB

m2048 = 2TB

m256 = 256GB

m1024 = 1TB

Wireless

m = Dual Band WiFi

X = No WiFi

OS

DOS = DOS

11V = Windows 11 IoT Value

110 = Windows 11 Professional

U = Ubuntu Linux

W_OS = Without OS

11P = Windows 11 Pro

Thinix = Thinix™ Embedded Linux

Accessories

0 = None

MK = Mechanical Keyboard

KM = Keyboard and Mouse set

Mo = Wired Optical Scroll Mouse

www.thinvent.insales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

