



Thinvent Neo R/4 Mini PC

Intel Core Ultra 5 125U processor

12 core, up to 4.3 GHz, 12 MB cache

Dual LAN

32GB DDR5 RAM (2 x 16GB)

128GB SSD

No WiFi

Thinix Embedded Linux

SKU: R-CU5_14L-16_5_16_5-S128-12_5-X-THINUX-0



Engineered for the Demands of Modern Industry.

Perfect for mission-critical applications, the Thinvent® Neo R/4 Mini PC delivers robust, silent computing power wherever you need it most. This compact powerhouse is built to thrive in challenging environments, offering unparalleled reliability for your core operations.

Ideal Use Cases

- Digital signage and information kiosks in retail or public spaces.
- Industrial automation and control systems on the factory floor.
- Dedicated thin client or secure workstation for office environments.
- Edge computing and IoT gateway applications.

Why Choose the Neo R/4

Unmatched reliability is at its core. Its fanless, solid-state design means there are no moving parts to fail, ensuring silent, maintenance-free operation in dusty or sensitive areas. Dual Ethernet ports provide essential network redundancy or the flexibility to manage separate networks, crucial for security and uptime.

It arrives ready to work, pre-installed with our Thinix™ Embedded Linux OS. This secure, lightweight platform includes vital tools for remote management and popular applications, allowing for quick deployment and easy integration into your existing infrastructure. The Neo R/4 is your steadfast, efficient partner for projects that simply cannot afford to fail.



Thinvent Neo R/4 Mini PC



Specifications

PROCESSING

Generation	14th
Series	Ultra 5
Processor Brand	Intel
Processor Model	125U
Cores	12
Max Frequency	4.3 GHz
Cache	12 MB
Main Memory	32 GB
SSD Storage	128 GB

DISPLAY

HDMI 2.0	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
USB 2.0	2
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2

POWER

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Mini PC
Dimensions	198mm × 200mm × 73mm
Packing Dimensions	340mm × 235mm × 105mm
Weight	110 grams
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.62kg, 2.04kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Ordering Information

PRODUCT CODE				
R-cu5_14l-[RAM]-[SSD]-12_5-[Wireless]-[OS]-[Accessories]				
RAM	8_5 = 8GB DDR5	16_5 = 16GB DDR5	32_5 = 32GB DDR5	32_5_32_5 = 64GB DDR5 RAM (2 x 32GB)
	16_5_16_5 = 32GB DDR5 RAM (2 x 16GB)			
SSD	m128 = 128GB	m256 = 256GB		
	m512 = 512GB	m1024 = 1TB		
	S32 = 32GB MLC	S128 = 128GB		
	S256 = 256GB			
Wireless	m = Dual Band WiFi	X = No WiFi		
OS	DOS = DOS	W_OS = Without OS		
	11V = Windows 11 IoT Value	11P = Windows 11 Pro		
	Thinix = Thinix™ Embedded Linux	U = Ubuntu Linux		
Accessories	0 = None	KM = Keyboard and Mouse set		
	1S = DB9 Serial	MK = Mechanical Keyboard		
	Mo = Wired Optical Scroll Mouse			

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing
#11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

