Thinvent Neo R/4 Mini PC

Intel Core Ultra 5 125U processor

12 core, up to 4.3 GHz, 12 MB cache

Dual LAN

64GB DDR5 RAM (2 x 32GB)

1TB HDD

Dual Band WiFi

Thinux Embedded Linux

SKU: R-CU5_14L-32_32_5-H1024-12_7-M-THINUX-0



Empower your operations with industrial-grade intelligence.

Engineered for the Edge

Meet the Thinvent Neo R/4 Mini PC, the compact powerhouse designed to run your critical systems with unwavering reliability. It delivers the perfect blend of modern performance and robust stability for demanding industrial environments. Forget about bulky towers and complex setups; this sleek unit integrates seamlessly into any workspace.

Why Choose the Neo R/4

- Experience smooth, responsive operation for digital signage, interactive kiosks, and process control interfaces.
- Enjoy versatile connectivity with dual LAN ports for network redundancy and flexible display outputs.
- Benefit from the security and efficiency of Thinux™ Embedded Linux, a stable platform ready for your custom applications.
- Deploy with confidence thanks to its rugged steel construction, built to withstand the rigours of 24/7 operation.
- Simplify remote management and monitoring through a built-in web interface, saving you time and site visits.

  Ideal for seamless integration in automation, retail, and smart building projects, the Neo R/4 is your dependable partner for a smarter, more connected enterprise.



Thinvent Neo R/4 Mini PC

Specifications

PROCESSING

Generation	14th
Series	Ultra 5
Processor Brand	Intel
Processor Model	125U
Cores	12
Max Frequency	4.3 GHz
Cache	12 MB
Main Memory	64 GB
HDD Storage	1024 GB

DISPLAY

HDMI 2.0	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
USB 2.0	2
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

POWER

DC Voltage	12 Volts
DC Current	7 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Mini PC
Dimensions	198mm × 200mm × 73mm
Packing Dimensions	340mm × 235mm × 105mm
Weight	110 grams
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.72kg, 2.13kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Thinvent Neo R/4 Mini PC

Ordering Information

PRODUCT CODE

`R-cu5_14l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]`

RAM	**8_5** = 8GB DDR5	**16_5** = 16GB DDR5	**32_5** = 32GB DDR5	**32_32_5** = 64GB DDR5 RAM (2 x 32GB)
	16_16_5 = 32GB DDR5 RAM (2 x 16GB)	**8_8_5** = 16GB DDR5 RAM (2 x 8GB)		
SSD	**m128** = 128GB		**m256** = 256GB	
	m512 = 512GB		**m1024** = 1TB	
	m2048 = 2TB		**S32** = 32GB MLC	
	S128 = 128GB		**S256** = 256GB	
	h1024 = 1TB HDD			
Wireless	**m** = Dual Band WiFi		**X** = No WiFi	
OS	**DOS** = DOS		**W_OS** = Without OS	
	11V = Windows 11 IoT Value		**11P** = Windows 11 Pro	
	11O = Windows 11 Professional		**Thinux** = Thinux™ Embedded Linux	
	U = Ubuntu Linux			
Accessories	**0** = None		**KM** = Keyboard and Mouse set	
	1S = DB9 Serial		**MK** = Mechanical Keyboard	
	Mo = Wired Optical Scroll Mouse			

www.thinvent.in sales@thinvent.in +91-11-430-77467 +91-99903-44251

R&D and Manufacturing
#11 Sports Complex
Salvador Do Mundo
North Goa - 403101, India

Sales
UGF-10-A Omaxe Gurgaon Mall
Sector 49, Sohna Road
Gurgaon - 122018, India