



Thinvent Neo R/4 Mini PC

Intel Core Ultra 5 125U processor

12 core, up to 4.3 GHz, 12 MB cache

Dual LAN

64GB DDR5 RAM (2 x 32GB)

128GB SSD

Dual Band WiFi

DOS

SKU: R-CU5_14L-32_5_32_5-S128-12_5-M-DOS-0



Powerful Intelligence, Compact Resilience: The Neo R/4 Mini PC.

Unlock a new era of seamless digital operations with the Thinvent Neo R/4. This formidable yet remarkably compact workstation is engineered to thrive where reliability matters most, delivering robust performance without demanding space or complex infrastructure.

Built for Business Continuity

Designed for 24/7 operation in demanding environments, from retail kiosks to factory floors. Its durable steel construction ensures it can handle the rigours of daily use, while dual Gigabit Ethernet ports provide unwavering network reliability for critical tasks and secure data transfer.

Adaptable and Efficient Performance

Experience smooth multitasking and rapid responsiveness for a multitude of professional applications. Whether driving digital signage, managing point-of-sale systems, or operating as a dedicated server, the Neo R/4 provides the dependable power to keep your business moving forward. Its versatile connectivity supports multiple displays and peripherals effortlessly.

Simplify Your Setup

Get straight to work with a plug-and-play design that integrates smoothly into your existing ecosystem. The flexible operating system foundation allows for easy customisation with your preferred software, creating a tailored solution without unnecessary bloat. Its minimal footprint liberates valuable space, enabling cleaner, more efficient workspaces.



Thinvent Neo R/4 Mini PC



Specifications

PROCESSING

Generation	14th
Series	Ultra 5
Processor Brand	Intel
Processor Model	125U
Cores	12
Max Frequency	4.3 GHz
Cache	12 MB
Main Memory	64 GB
SSD Storage	128 GB

DISPLAY

HDMI 2.0	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
USB 2.0	2
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

POWER

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Mini PC
Dimensions	198mm × 200mm × 73mm
Packing Dimensions	340mm × 235mm × 105mm
Weight	110 grams
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.62kg, 2.04kg

OPERATING SYSTEM

Operating System	FreeDOS
------------------	---------

Ordering Information

PRODUCT CODE				
R-cu5_14l-[RAM]-[SSD]-12_5-[Wireless]-[OS]-[Accessories]				
RAM	8_5 = 8GB DDR5	16_5 = 16GB DDR5	32_5 = 32GB DDR5	32_5_32_5 = 64GB DDR5 RAM (2 x 32GB)
	16_5_16_5 = 32GB DDR5 RAM (2 x 16GB)			
SSD	m128 = 128GB	m256 = 256GB	m1024 = 1TB	
	m512 = 512GB	S32 = 32GB MLC	S256 = 256GB	
	m2048 = 2TB			
	S128 = 128GB			
Wireless	m = Dual Band WiFi	X = No WiFi		
OS	DOS = DOS	W_OS = Without OS		
	11V = Windows 11 IoT Value	11P = Windows 11 Pro		
	110 = Windows 11 Professional	Thinix = Thinix™ Embedded Linux		
	U = Ubuntu Linux			
Accessories	0 = None	KM = Keyboard and Mouse set		
	1S = DB9 Serial	MK = Mechanical Keyboard		
	Mo = Wired Optical Scroll Mouse			

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

