



Thinvent Neo R/4 Mini PC

Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

32GB DDR4 RAM (2 x 16GB)

32GB MLC SSD

Dual Band WiFi

DOS

DB9 Serial

SKU: R-I3_12-16_16-S32-12_5-M-DOS-1S



Unleash Mighty Performance in a Featherlight Form Factor.

Elevate your computing experience with the Thinvent® Neo R/4 Mini PC, engineered for power and portability. This ultra-compact marvel packs a serious punch, making it ideal for everything from demanding business applications and industrial control to a sleek, powerful home office setup.

Core Performance

- Experience exceptional speed with the Intel® Core™ i3-1215U processor, featuring 6 cores and burst speeds up to 4.4 GHz, backed by a 10 MB cache for seamless multitasking.
- Tackle intensive workloads with an astounding 64GB DDR4 RAM, ensuring liquid-smooth operation for virtual machines, large datasets, and simultaneous applications.
- Benefit from rapid boot times and responsive application loading with 128GB of high-speed SSD storage.

Versatile Connectivity

- Connect to a wide array of peripherals and displays with dual HDMI and VGA outputs.
- Stay connected with lightning-fast 1000 Mbps Ethernet and reliable dual-band Wi-Fi 5 (802.11ac).

- Access legacy systems or industrial equipment effortlessly via the dedicated DB9 RS232 serial port.
- Enjoy comprehensive peripheral support with 2x USB 3.2 and 2x USB 2.0 ports, along with speaker out and mic in.

Robust Design and Flexibility

- Housed in durable, powder-coated black steel and weighing an astonishing 110 grams, this Mini PC is built to last and integrates effortlessly into any space.
- The flexible FreeDOS operating system provides a clean slate, allowing you to install your preferred OS for tailored control.
- Operates reliably within 0°C to 40°C and 20% to 80% non-condensing humidity, ensuring consistent performance.

Certified Reliability

- Trust in a product that meets rigorous standards, backed by BIS, RoHS, and ISO certifications.

Dimensions

- 198mm × 200mm × 73mm



Thinvent Neo R/4 Mini PC



Specifications

PROCESSING

Generation	12th
Series	i3
Processor Brand	Intel
Processor Model	1215U
Cores	6
Max Frequency	4.4 GHz
Cache	10 MB
Main Memory	32 GB
SSD Storage	32 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
USB 2.0	2
Serial Port	1 DB9 male RS232
RS485 Option	1

NETWORKING

Ethernet	1000 Mbps
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

POWER

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Mini PC
Dimensions	198mm × 200mm × 73mm
Packing Dimensions	340mm × 235mm × 105mm
Weight	110 grams
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.59kg, 2.01kg

OPERATING SYSTEM

Operating System	FreeDOS
------------------	---------

Ordering Information

PRODUCT CODE

R-i3_12-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]

RAM	4 = 4GB DDR4	8 = 8GB DDR4	16 = 16GB DDR4	32 = 32GB DDR4
	32_32 = 64GB DDR4 RAM (2 x 32GB)	16_16 = 32GB DDR4 RAM (2 x 16GB)	8_8 = 16GB DDR4 RAM (2 x 8GB)	
SSD	m128 = 128GB	m256 = 256GB		
	m512 = 512GB	m1024 = 1TB		
	S32 = 32GB MLC	S128 = 128GB		
	S256 = 256GB			
Wireless	m = Dual Band WiFi	X = No WiFi		
OS	DOS = DOS	W_OS = Without OS		
	11V = Windows 11 IoT Value	11P = Windows 11 Pro		
	Thinux = Thinux™ Embedded Linux	U = Ubuntu Linux		
Accessories	0 = None	KM = Keyboard and Mouse set		
	1S = DB9 Serial	MK = Mechanical Keyboard		
	Mo = Wired Optical Scroll Mouse			

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

