



# Thinvent Neo R/4 Mini PC

## Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

## Dual LAN

## 4GB DDR4 RAM

## 256GB SSD

## Dual Band WiFi

## Thinix Embedded Linux

## DB9 Serial

SKU: R-I3\_12L-4-M256-12\_7-M-THINUX-1S



Small Powerhouse, Boundless Potential.

### Ideal for mission-critical industrial applications

Your compact command centre for demanding environments. The Thinvent® Neo R/4 delivers reliable, fanless computing power where you need it most. Engineered for 24/7 operation, it thrives in spaces where traditional PCs fear to tread.

### Why choose the Neo R/4

- Unshakable reliability in a rugged, fanless steel chassis built for harsh conditions.
- Versatile connectivity with dual Gigabit LAN and legacy serial support for seamless integration into existing systems.

- Simplified deployment and management with our pre-installed, secure Thinix™ operating system, ready for your specialised software.
- Effortless remote access and control, allowing you to monitor and manage installations from anywhere.
- A future-proof foundation that balances robust performance with remarkable energy efficiency, reducing total cost of ownership.

From digital signage and kiosks to factory automation and IoT gateways, install confidence with a mini PC built for business.



# Thinvent Neo R/4 Mini PC



## Specifications

### PROCESSING

---

Generation	12th
Series	i3
Processor Brand	Intel
Processor Model	1215U
Cores	6
Max Frequency	4.4 GHz
Cache	10 MB
Main Memory	4 GB
SSD Storage	256 GB

### DISPLAY

---

HDMI	1
VGA	1

### AUDIO

---

Speaker Out	1
Mic In	1

### CONNECTIVITY

---

USB 3.2	2
Serial Port	1 DB9 male RS232
RS485 Option	1

### NETWORKING

---

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

### POWER

---

DC Voltage	12 Volts
DC Current	7 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

### ENVIRONMENTAL

---

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

### PHYSICAL

---

Form Factor	Mini PC
Dimensions	198mm × 200mm × 73mm
Packing Dimensions	340mm × 235mm × 105mm
Weight	110 grams
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.68kg, 2.10kg

### OPERATING SYSTEM

---

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

## Ordering Information

PRODUCT CODE			
R-i3_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]			
RAM	4 = 4GB DDR4 64 = 64GB DDR4	8 = 8GB DDR4	16 = 16GB DDR4 32 = 32GB DDR4
SSD	m128 = 128GB m32 = 32GB m1024 = 1TB S128 = 128GB		m256 = 256GB m512 = 512GB S32 = 32GB MLC S256 = 256GB
Wireless	m = Dual Band WiFi		X = No WiFi
OS	DOS = DOS 11V = Windows 11 IoT Value Thinix = Thinix™ Embedded Linux		W_OS = Without OS 11P = Windows 11 Pro U = Ubuntu Linux
Accessories	0 = None 1S = DB9 Serial Mo = Wired Optical Scroll Mouse		KM = Keyboard and Mouse set MK = Mechanical Keyboard

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

**R&D and Manufacturing**  
#11 Sports Complex  
Salvador Do Mundo  
North Goa - 403101, India

**Sales**  
UGF-10-A Omaxe Gurgaon Mall  
Sector 49, Sohna Road  
Gurgaon - 122018, India

