



# Thinvent Neo R/4 Mini PC

## Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

## Dual LAN

## 64GB DDR4 RAM

## 256GB SSD

## Dual Band WiFi

## Thinix Embedded Linux

## DB9 Serial

SKU: R-I3\_12L-64-M256-12\_5-M-THINUX-1S



Small Powerhouse, Boundless Potential.

### Ideal for mission-critical industrial applications

Your compact command centre for demanding environments. The Thinvent® Neo R/4 delivers reliable, fanless computing power where you need it most. Engineered for 24/7 operation, it thrives in spaces where traditional PCs fear to tread.

### Why choose the Neo R/4

- Unshakable reliability in a rugged, fanless steel chassis built for harsh conditions.
- Versatile connectivity with dual Gigabit LAN and legacy serial support for seamless integration into existing systems.

- Simplified deployment and management with our pre-installed, secure Thinix™ operating system, ready for your specialised software.
- Effortless remote access and control, allowing you to monitor and manage installations from anywhere.
- A future-proof foundation that balances robust performance with remarkable energy efficiency, reducing total cost of ownership.

From digital signage and kiosks to factory automation and IoT gateways, install confidence with a mini PC built for business.



# Thinvent Neo R/4 Mini PC



## Specifications

### PROCESSING

---

Generation	12th
Series	i3
Processor Brand	Intel
Processor Model	1215U
Cores	6
Max Frequency	4.4 GHz
Cache	10 MB
Main Memory	64 GB
SSD Storage	256 GB

### DISPLAY

---

HDMI	1
VGA	1

### AUDIO

---

Speaker Out	1
Mic In	1

### CONNECTIVITY

---

USB 3.2	2
Serial Port	1 DB9 male RS232
RS485 Option	1

### NETWORKING

---

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

### POWER

---

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

### ENVIRONMENTAL

---

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

### PHYSICAL

---

Form Factor	Mini PC
Dimensions	198mm × 200mm × 73mm
Packing Dimensions	340mm × 235mm × 105mm
Weight	110 grams
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.59kg, 2.01kg

### OPERATING SYSTEM

---

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

## Ordering Information

### PRODUCT CODE

**R-i3\_12l-[RAM]-[SSD]-12\_7-[Wireless]-[OS]-[Accessories]**

<b>RAM</b>	<b>4</b> = 4GB DDR4	<b>8</b> = 8GB DDR4	<b>16</b> = 16GB DDR4	<b>32</b> = 32GB DDR4
	<b>64</b> = 64GB DDR4			
<b>SSD</b>	<b>m128</b> = 128GB		<b>m256</b> = 256GB	
	<b>m32</b> = 32GB		<b>m512</b> = 512GB	
	<b>m1024</b> = 1TB		<b>S32</b> = 32GB MLC	
	<b>S128</b> = 128GB		<b>S256</b> = 256GB	
<b>Wireless</b>	<b>m</b> = Dual Band WiFi		<b>X</b> = No WiFi	
<b>OS</b>	<b>DOS</b> = DOS		<b>W_OS</b> = Without OS	
	<b>11V</b> = Windows 11 IoT Value		<b>11P</b> = Windows 11 Pro	
	<b>Thinix</b> = Thinix™ Embedded Linux		<b>U</b> = Ubuntu Linux	
<b>Accessories</b>	<b>0</b> = None		<b>KM</b> = Keyboard and Mouse set	
	<b>1S</b> = DB9 Serial		<b>MK</b> = Mechanical Keyboard	
	<b>Mo</b> = Wired Optical Scroll Mouse			

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

**R&D and Manufacturing**  
 #11 Sports Complex  
 Salvador Do Mundo  
 North Goa - 403101, India

**Sales**  
 UGF-10-A Omaxe Gurgaon Mall  
 Sector 49, Sohna Road  
 Gurgaon - 122018, India

