

Intel Core i3-1215U processor

6 core, up to 4.4 GHz, 10 MB cache

Dual LAN

64GB DDR4 RAM

256GB SSD

Dual Band WiFi

Without OS

DB9 Serial

SKU: R-I3_12L-64-M256-12_7-M-W_OS-1S



Power in a pint-sized package, ready for your toughest tasks.

Engineered for the real world

The Thinvent Neo R/4 is the compact industrial workhorse you can trust in demanding environments. Its robust steel chassis is built to withstand vibration, dust, and the rigours of 24/7 operation, providing unwavering reliability where it matters most.

Connectivity without compromise

Seamlessly integrate into any setup with legacy and modern connections. The dedicated RS232 serial port ensures smooth communication with specialised equipment, while dual Gigabit Ethernet ports guarantee rock-solid, high-speed network links for critical data transfer.

Adaptable and efficient performance

With its capable processing power, this mini PC effortlessly handles digital signage, point-of-sale systems, and light industrial automation. Its fanless, low-power design ensures silent, reliable operation, reducing energy costs and eliminating a common point of failure.

Simplify your deployment

- Pre-installed with no operating system for complete software freedom.
- Compact form factor saves crucial space in control cabinets and kiosks.
- Versatile mounting options allow for flexible installation anywhere.
- Ready to run your chosen specialised software right out of the box.



Specifications

PROCESSING

| | |
|-----------------|---------|
| Generation | 12th |
| Series | i3 |
| Processor Brand | Intel |
| Processor Model | 1215U |
| Cores | 6 |
| Max Frequency | 4.4 GHz |
| Cache | 10 MB |
| Main Memory | 64 GB |
| SSD Storage | 256 GB |

DISPLAY

| | |
|------|---|
| HDMI | 1 |
| VGA | 1 |

AUDIO

| | |
|-------------|---|
| Speaker Out | 1 |
| Mic In | 1 |

CONNECTIVITY

| | |
|--------------|------------------|
| USB 3.2 | 2 |
| Serial Port | 1 DB9 male RS232 |
| RS485 Option | 1 |

NETWORKING

| | |
|---------------------|-------------------------------|
| Ethernet | 1000 Mbps |
| Ethernet Ports | 2 |
| Wireless Networking | Wi-Fi 5 (802.11ac), dual band |

POWER

| | |
|--------------|--|
| DC Voltage | 12 Volts |
| DC Current | 7 Amps |
| Power Input | 100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre |

ENVIRONMENTAL

| | |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 40°C |
| Operating Humidity | 20% ~ 80% RH, non condensing |
| Certifications | BIS, RoHS, ISO |

PHYSICAL

| | |
|----------------------|-----------------------|
| Form Factor | Mini PC |
| Dimensions | 198mm × 200mm × 73mm |
| Packing Dimensions | 340mm × 235mm × 105mm |
| Weight | 110 grams |
| Housing Material | Steel |
| Housing Finish | Powder Coated |
| Housing Colour | Black |
| Net and Gross Weight | 1.68kg, 2.10kg |

OPERATING SYSTEM

| | |
|------------------|------------|
| Operating System | Without OS |
|------------------|------------|

Ordering Information

PRODUCT CODE

R-i3_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]

| | | | | |
|--------------------|--|---------------------|------------------------------------|-----------------------|
| RAM | 4 = 4GB DDR4 | 8 = 8GB DDR4 | 16 = 16GB DDR4 | 32 = 32GB DDR4 |
| | 64 = 64GB DDR4 | | | |
| SSD | m128 = 128GB | | m256 = 256GB | |
| | m32 = 32GB | | m512 = 512GB | |
| | m1024 = 1TB | | S32 = 32GB MLC | |
| | S128 = 128GB | | S256 = 256GB | |
| Wireless | m = Dual Band WiFi | | X = No WiFi | |
| OS | DOS = DOS | | W_OS = Without OS | |
| | 11V = Windows 11 IoT Value | | 11P = Windows 11 Pro | |
| | Thinix = Thinix™ Embedded Linux | | U = Ubuntu Linux | |
| Accessories | 0 = None | | KM = Keyboard and Mouse set | |
| | 1S = DB9 Serial | | MK = Mechanical Keyboard | |
| | Mo = Wired Optical Scroll Mouse | | | |

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing
 #11 Sports Complex
 Salvador Do Mundo
 North Goa - 403101, India

Sales
 UGF-10-A Omaxe Gurgaon Mall
 Sector 49, Sohna Road
 Gurgaon - 122018, India

