



Thinvent Neo R/4 Mini PC

Intel Core i3-1315U processor

6 core, up to 4.5 GHz, 10 MB cache

16GB DDR4 RAM

2TB SSD

No WiFi

DOS

DB9 Serial



SKU: R-I3_13-16-M2048-12_7-X-DOS-1S

Thinvent® Neo R/4: Industrial Strength, Compact Brilliance.

Experience robust performance and unparalleled reliability with the Thinvent® Neo R/4 Mini PC. Designed for demanding business, industrial, and specialized applications, this compact powerhouse delivers uncompromising efficiency where it matters most.

Performance That Drives Productivity

- At its core, an Intel® Core™ i3-1315U processor with 6 cores and speeds up to 4.5 GHz, backed by a 10 MB cache, ensures swift, responsive multitasking.
- With a generous 32GB DDR4 RAM, you'll effortlessly handle resource-intensive tasks and complex operations.
- A 128GB SSD provides lightning-fast boot-ups and rapid application loading, keeping your workflows seamless.

Built for Connectivity & Control

- Critical for industrial and legacy systems, a dedicated DB9 RS232 serial port ensures seamless integration with specialized equipment.
- Expand your visual workspace with both HDMI and VGA outputs.

- Four USB ports (two USB 3.2, two USB 2.0) offer ample peripheral connectivity.
- A blazing 1000 Mbps Ethernet port guarantees secure, high-speed wired networking, prioritizing stability over wireless.

Rugged Durability, Agile Design

- Housed in durable, powder-coated steel with a sleek black finish, this Mini PC is engineered to withstand challenging environments.
- Its remarkably compact dimensions (198mm × 200mm × 73mm) and feather-light 110-gram weight make deployment incredibly flexible.
- Certified with BIS, RoHS, and ISO standards, ensuring quality and compliance.
- Operates reliably within 0°C to 40°C, ready for diverse settings.

Optimized for Specialized Solutions

- Shipped with FreeDOS, it's the perfect foundation for embedded systems, custom applications, or legacy software, offering maximum control and minimal overhead.



Thinvent Neo R/4 Mini PC



Specifications

PROCESSING

Generation	13th
Series	i3
Processor Brand	Intel
Processor Model	1315U
Cores	6
Max Frequency	4.5 GHz
Cache	10 MB
Main Memory	16 GB
SSD Storage	2048 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
USB 2.0	2
Serial Port	1 DB9 male RS232

NETWORKING

Ethernet	1000 Mbps
----------	-----------

POWER

DC Voltage	12 Volts
DC Current	7 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Mini PC
Dimensions	198mm × 200mm × 73mm
Packing Dimensions	340mm × 235mm × 105mm
Weight	110 grams
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.61kg, 2.03kg

OPERATING SYSTEM

Operating System	FreeDOS
------------------	---------

Ordering Information

PRODUCT CODE

R-i3_13-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]

RAM

4 = 4GB DDR4

8 = 8GB DDR4

16 = 16GB DDR4

32 = 32GB DDR4

32_32 = 64GB
DDR4 RAM (2 x
32GB)16_16 = 32GB
DDR4 RAM (2 x
16GB)8_8 = 16GB DDR4
RAM (2 x 8GB)

SSD

m128 = 128GB

m512 = 512GB

m2048 = 2TB

S128 = 128GB

m256 = 256GB

m1024 = 1TB

S32 = 32GB MLC

S256 = 256GB

Wireless

m = Dual Band WiFi

X = No WiFi

OS

DOS = DOS

11V = Windows 11 IoT Value

110 = Windows 11 Professional

U = Ubuntu Linux

W_OS = Without OS

11P = Windows 11 Pro

Thinix = Thinix™ Embedded Linux

Accessories

0 = None

1S = DB9 Serial

Mo = Wired Optical Scroll Mouse

KM = Keyboard and Mouse set

MK = Mechanical Keyboard

www.thinvent.insales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

