



Thinvent Neo R/4 Mini PC

Intel Core i3-1315U processor

6 core, up to 4.5 GHz, 10 MB cache

32GB DDR4 RAM (2 x 16GB)

1TB SSD

Dual Band WiFi

Without OS

DB9 Serial

SKU: R-I3_13-16_16-M1024-12_5-M-W_OS-1S



Experience uncompromised performance in a remarkably compact form.

Introducing the Thinvent® Neo R/4 Mini PC, engineered for efficiency, versatility, and enduring reliability. This powerful mini PC redefines desktop computing, delivering robust performance without occupying valuable space, making it ideal for business, industrial, or space-constrained environments.

Unrivalled Performance

Powered by the Intel® Core™ i3-1315U processor with 6 cores boosting up to 4.5 GHz and a 10 MB cache, the Neo R/4 handles demanding applications and multitasking with ease.

- Seamlessly run multiple programs with 16GB DDR4 RAM.
- Enjoy lightning-fast boot-ups and application loading from the spacious 512GB SSD.

Exceptional Connectivity

Designed for maximum utility, the Neo R/4 ensures you stay connected and productive.

- Essential DB9 male RS232 serial port for legacy devices, POS systems, or industrial applications.
- Dual display support with 1 HDMI and 1 VGA port enhances your workspace.

- High-speed wired networking via 1000 Mbps Ethernet.
- Reliable dual-band Wi-Fi 5 (802.11ac) for flexible wireless connections.
- Four USB ports (2x USB 3.2, 2x USB 2.0) provide ample peripheral connectivity.
- Integrated speaker out and mic in for full audio functionality.

Built to Endure

Crafted with a durable black steel housing finished with powder coating, this mini PC is built for longevity. Its ultra-compact dimensions (198mm × 200mm × 73mm) and incredibly light weight (110 grams) allow for discreet placement and easy integration. With a wide 100~275V AC power input and an operating temperature range of 0°C to 40°C, it's ready for diverse operational settings.

Flexible & Compliant

The Thinvent Neo R/4 comes without an operating system, offering you the freedom to install your preferred OS. Rest assured with BIS, RoHS, and ISO certifications, guaranteeing quality and environmental responsibility. Discover the future of compact computing. Get your Thinvent Neo R/4 today!



Thinvent Neo R/4 Mini PC



Specifications

PROCESSING

Generation	13th
Series	i3
Processor Brand	Intel
Processor Model	1315U
Cores	6
Max Frequency	4.5 GHz
Cache	10 MB
Main Memory	32 GB
SSD Storage	1024 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
USB 2.0	2
Serial Port	1 DB9 male RS232

NETWORKING

Ethernet	1000 Mbps
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

POWER

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Mini PC
Dimensions	198mm × 200mm × 73mm
Packing Dimensions	340mm × 235mm × 105mm
Weight	110 grams
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.52kg, 1.94kg

OPERATING SYSTEM

Operating System	Without OS
------------------	------------

Ordering Information

PRODUCT CODE

R-i3_13-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]

RAM	4 = 4GB DDR4	8 = 8GB DDR4	16 = 16GB DDR4	32 = 32GB DDR4
	32_32 = 64GB DDR4 RAM (2 x 32GB)	16_16 = 32GB DDR4 RAM (2 x 16GB)	8_8 = 16GB DDR4 RAM (2 x 8GB)	
SSD	m128 = 128GB		m256 = 256GB	
	m512 = 512GB		m1024 = 1TB	
	S32 = 32GB MLC		S128 = 128GB	
	S256 = 256GB			
Wireless	m = Dual Band WiFi		X = No WiFi	
OS	DOS = DOS		W_OS = Without OS	
	11V = Windows 11 IoT Value		11P = Windows 11 Pro	
	Thinux = Thinux™ Embedded Linux		U = Ubuntu Linux	
Accessories	0 = None		KM = Keyboard and Mouse set	
	1S = DB9 Serial		MK = Mechanical Keyboard	
	Mo = Wired Optical Scroll Mouse			

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

