



## Thinvent Neo R/4 Mini PC

### Intel Core i5-12450H processor

8 core, up to 4.4 GHz, 12 MB cache

32GB DDR4 RAM (2 x 16GB)

128GB SSD

Dual Band WiFi

Thinix Embedded Linux

SKU: R-I5\_12H-16\_16-S128-12\_5-M-  
THINUX-0



### Unleash compact power for your business

Tired of bulky, power-hungry desktops hogging your workspace? The Thinvent Neo R/4 Mini PC delivers exceptional performance in a footprint that's designed for modern environments. Experience seamless multitasking and rapid responsiveness that keeps your operations flowing, whether you're in manufacturing, retail, or any other demanding sector.

#### Built for your world

Imagine smooth data processing, reliable connectivity, and the flexibility to integrate into any setup. This compact powerhouse is perfect for digital signage, point-of-sale systems, or as a dedicated workstation where space is at a premium. Its robust construction means it's ready to handle the rigours of daily use, ensuring your critical applications are always accessible.

#### Elevate your efficiency

Free yourself from the limitations of outdated hardware. The Neo R/4 provides the speed and stability you need to boost productivity, reduce downtime, and ultimately drive your business forward. It's not just a computer; it's an investment in smarter, more streamlined operations.

#### Discover the Thinvent difference

Invest in technology that's engineered for reliability and designed for your success. The Thinvent Neo R/4 Mini PC offers a compelling blend of performance and practicality, making it the intelligent choice for businesses seeking a dependable computing solution.



# Thinvent Neo R/4 Mini PC



## Specifications

### PROCESSING

|                 |         |
|-----------------|---------|
| Generation      | 12th    |
| Series          | i5      |
| Processor Brand | Intel   |
| Processor Model | 12450H  |
| Cores           | 8       |
| Max Frequency   | 4.4 GHz |
| Cache           | 12 MB   |
| Main Memory     | 32 GB   |
| SSD Storage     | 128 GB  |

### DISPLAY

|      |   |
|------|---|
| HDMI | 1 |
| VGA  | 1 |

### AUDIO

|             |   |
|-------------|---|
| Speaker Out | 1 |
| Mic In      | 1 |

### CONNECTIVITY

|         |   |
|---------|---|
| USB 3.2 | 2 |
| USB 2.0 | 2 |

### NETWORKING

|                     |                               |
|---------------------|-------------------------------|
| Ethernet            | 1000 Mbps                     |
| Wireless Networking | Wi-Fi 5 (802.11ac), dual band |

### POWER

|              |                                              |
|--------------|----------------------------------------------|
| DC Voltage   | 12 Volts                                     |
| DC Current   | 5 Amps                                       |
| Power Input  | 100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre                                      |

### ENVIRONMENTAL

|                       |                              |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 40°C                   |
| Operating Humidity    | 20% ~ 80% RH, non condensing |
| Certifications        | BIS, RoHS, ISO               |

### PHYSICAL

|                      |                       |
|----------------------|-----------------------|
| Form Factor          | Mini PC               |
| Dimensions           | 198mm × 200mm × 73mm  |
| Packing Dimensions   | 340mm × 235mm × 105mm |
| Weight               | 110 grams             |
| Housing Material     | Steel                 |
| Housing Finish       | Powder Coated         |
| Housing Colour       | Black                 |
| Net and Gross Weight | 1.62kg, 2.04kg        |

### OPERATING SYSTEM

|                  |                                                                                                                                                                                                                                                                                                                                    |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operating System | Thinvent® Thinux™ Embedded Linux                                                                                                                                                                                                                                                                                                   |
| OS Features      | Chromium and Mozilla Firefox browsers.<br>RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display.<br>Browser based remote management. VNC shadowing.<br>Java, Python and glibc based location application support.<br>LibreOffice and PDF viewer.<br>Multimedia player with MPEG4 support.<br>SIP video and voice over IP. |

## Ordering Information

## PRODUCT CODE

R-i5\_12H-[RAM]-[SSD]-12\_10-[Wireless]-[OS]-[Accessories]

## RAM

4 = 4GB DDR4

8 = 8GB DDR4

16 = 16GB DDR4

32 = 32GB DDR4

32\_32 = 64GB  
DDR4 RAM (2 x  
32GB)16\_16 = 32GB  
DDR4 RAM (2 x  
16GB)8\_8 = 16GB DDR4  
RAM (2 x 8GB)

## SSD

m128 = 128GB

m512 = 512GB

S32 = 32GB MLC

S256 = 256GB

m256 = 256GB

m1024 = 1TB

S128 = 128GB

## Wireless

m = Dual Band WiFi

X = No WiFi

## OS

DOS = DOS

11V = Windows 11 IoT Value

Thinux = Thinux™ Embedded Linux

W\_OS = Without OS

11P = Windows 11 Pro

U = Ubuntu Linux

## Accessories

0 = None

1S = DB9 Serial

Mo = Wired Optical Scroll Mouse

KM = Keyboard and Mouse set

MK = Mechanical Keyboard

[www.thinvent.in](http://www.thinvent.in)[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

## R&amp;D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

## Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

