



Thinvent Neo R/4 Mini PC

Intel Core i5-1240P processor

12 core, up to 4.4 GHz, 12 MB cache

Dual LAN

16GB DDR4 RAM

128GB SSD

Dual Band WiFi

Thinix Embedded Linux

DB9 Serial

SKU: R-I5_12L-16-M128-12_7-M-
THINUX-1S



Engineered for relentless industrial performance.

Introducing the Thinvent® Neo R/4 Mini PC

Where compact size meets uncompromising reliability. Designed to thrive in demanding environments, this robust mini PC delivers the stable, powerful computing required for your most critical operations without the bulk of traditional hardware.

Why choose the Neo R/4

- Deploy confidently in space-constrained settings like control cabinets, kiosks, or digital signage mounts.
- Enjoy seamless connectivity with dual Ethernet for network redundancy and legacy serial device support.

- Benefit from a rock-solid, dedicated embedded OS, pre-configured for industrial security and longevity.
- Simplify remote management and monitoring with integrated tools for complete oversight from anywhere.

Ideal for a connected enterprise

Whether you're automating a production line, managing a complex HMI, or powering a secure communication terminal, the Neo R/4 provides the durable, always-on intelligence you need. It's the dependable core for applications where failure is not an option. Build on a foundation of proven industrial strength.



Thinvent Neo R/4 Mini PC



Specifications

PROCESSING

Generation	12th
Series	i5
Processor Brand	Intel
Processor Model	1240P
Cores	12
Max Frequency	4.4 GHz
Cache	12 MB
Main Memory	16 GB
SSD Storage	128 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
Serial Port	1 DB9 male RS232

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

POWER

DC Voltage	12 Volts
DC Current	7 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Mini PC
Dimensions	198mm × 200mm × 73mm
Packing Dimensions	340mm × 235mm × 105mm
Weight	110 grams
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.72kg, 2.13kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Ordering Information

PRODUCT CODE

R-i5_12l-[RAM]-[SSD]-12_7-[Wireless]-[OS]-[Accessories]

RAM	4 = 4GB DDR4	8 = 8GB DDR4	16 = 16GB DDR4	32 = 32GB DDR4
	32_32 = 64GB DDR4 RAM (2 x 32GB)	16_16 = 32GB DDR4 RAM (2 x 16GB)	8_8 = 16GB DDR4 RAM (2 x 8GB)	
SSD	m128 = 128GB	m256 = 256GB	m1024 = 1TB	
	m512 = 512GB	S32 = 32GB MLC	S128 = 128GB	
Wireless	m2048 = 2TB	S256 = 256GB	h1024 = 1TB HDD	
	S32T = 32GB			
OS	m = Dual Band WiFi	X = No WiFi		
	DOS = DOS	W_OS = Without OS		
Accessories	11V = Windows 11 IoT Value	11P = Windows 11 Pro		
	110 = Windows 11 Professional	Thinux = Thinux™ Embedded Linux		
	U = Ubuntu Linux			
	0 = None	KM = Keyboard and Mouse set		
	1S = DB9 Serial	MK = Mechanical Keyboard		
	Mo = Wired Optical Scroll Mouse			

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

