



Thinvent Neo R/4 Mini PC

Intel Core i5-1240P processor

12 core, up to 4.4 GHz, 12 MB cache

Dual LAN

64GB DDR4 RAM (2 x 32GB)

32GB MLC SSD

Dual Band WiFi

Thinux Embedded Linux

SKU: R-I5_12L-32_32-S32-12_5-M-THINUX-0



Power through industrial demands with a whisper-quiet footprint.

The Thinvent® Neo R/4 Mini PC is the robust, intelligent core your operations have been waiting for. Built for relentless environments, it delivers serious computing muscle in an incredibly compact, fanless steel chassis.

Uncompromising Performance for Critical Tasks

- Experience seamless operation for digital signage, interactive kiosks, and complex control panels.
- Handle multiple applications and browser-based management tools simultaneously without lag.
- Its rugged, industrial-grade construction ensures unwavering reliability where it matters most.

Built to Connect and Control

- Effortlessly integrate into existing networks and manage devices with dual high-speed Ethernet.

- Deploy and manage your fleet remotely with secure, browser-based tools for total peace of mind.
- Run essential productivity and communication software right out of the box on the stable Thinux™ platform.

Engineered for Simplicity

- Get up and running in minutes with the pre-installed operating system and versatile software suite.
- Its compact size and flexible power options make installation effortless in space-constrained locations.
- Designed for 24/7 operation, it works tirelessly so you can focus on your business.

Choose the Neo R/4 for a dependable computing solution that simply gets the job done, day in and day out.



Thinvent Neo R/4 Mini PC



Specifications

PROCESSING

Generation	12th
Series	i5
Processor Brand	Intel
Processor Model	1240P
Cores	12
Max Frequency	4.4 GHz
Cache	12 MB
Main Memory	64 GB
SSD Storage	32 GB

DISPLAY

HDMI	1
VGA	1

AUDIO

Speaker Out	1
Mic In	1

CONNECTIVITY

USB 3.2	2
---------	---

NETWORKING

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

POWER

DC Voltage	12 Volts
DC Current	5 Amps
Power Input	100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

ENVIRONMENTAL

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

PHYSICAL

Form Factor	Mini PC
Dimensions	198mm × 200mm × 73mm
Packing Dimensions	340mm × 235mm × 105mm
Weight	110 grams
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	1.62kg, 2.04kg

OPERATING SYSTEM

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.

Ordering Information

PRODUCT CODE

R-i5_12l-[RAM]-[SSD]-12_10-[Wireless]-[OS]-[Accessories]

RAM	4 = 4GB DDR4	8 = 8GB DDR4	16 = 16GB DDR4	32 = 32GB DDR4
	32_32 = 64GB DDR4 RAM (2 x 32GB)	16_16 = 32GB DDR4 RAM (2 x 16GB)	8_8 = 16GB DDR4 RAM (2 x 8GB)	
SSD	m128 = 128GB		m256 = 256GB	
	m512 = 512GB		m1024 = 1TB	
	S32 = 32GB MLC		S128 = 128GB	
	S256 = 256GB			
Wireless	m = Dual Band WiFi		X = No WiFi	
OS	DOS = DOS		W_OS = Without OS	
	11V = Windows 11 IoT Value		11P = Windows 11 Pro	
	Thinux = Thinux™ Embedded Linux		U = Ubuntu Linux	
Accessories	0 = None		KM = Keyboard and Mouse set	
	1S = DB9 Serial		MK = Mechanical Keyboard	
	Mo = Wired Optical Scroll Mouse			

www.thinvent.in

sales@thinvent.in

+91-11-430-77467

 +91-99903-44251

R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

