



# Thinvent Neo R/4 Mini PC

## Intel Core i5-1240P processor

12 core, up to 4.4 GHz, 12 MB cache

## Dual LAN

## 64GB DDR4 RAM (2 x 32GB)

## 2TB SSD

## No WiFi

## Thinux Embedded Linux

SKU: R-I5\_12L-32\_32-M2048-12\_5-X-THINUX-0



Engineered for the Edge, Reliable at its Core.

Meet the Thinvent® Neo R/4 Mini PC: the robust, silent workhorse designed to thrive where standard computers falter. This compact powerhouse delivers consistent, industrial-grade performance for your most demanding operational technology.

### Built for Purpose

- Unwavering reliability in challenging environments, from factory floors to digital signage installations.
- Dual Gigabit Ethernet ensures rock-solid, high-speed network connectivity for critical data and control systems.
- Runs the streamlined, secure Thinux™ Embedded Linux OS, built for 24/7 operation without bloat or unnecessary overhead.

### Simplify Your Operations

- Deploy a dedicated, low-maintenance computing node for machine control, process monitoring, or interactive kiosks.
- Its fanless, rugged steel construction means silent operation and superior durability, resisting dust and vibration.
- Benefit from integrated remote management tools, allowing for easy oversight and maintenance without physical access.

The Neo R/4 is the dependable foundation for your industrial and commercial applications. It just works, day in and day out, letting you focus on running your business, not your IT.



# Thinvent Neo R/4 Mini PC



## Specifications

### PROCESSING

|                 |         |
|-----------------|---------|
| Generation      | 12th    |
| Series          | i5      |
| Processor Brand | Intel   |
| Processor Model | 1240P   |
| Cores           | 12      |
| Max Frequency   | 4.4 GHz |
| Cache           | 12 MB   |
| Main Memory     | 64 GB   |
| SSD Storage     | 2048 GB |

### DISPLAY

|      |   |
|------|---|
| HDMI | 1 |
| VGA  | 1 |

### AUDIO

|             |   |
|-------------|---|
| Speaker Out | 1 |
| Mic In      | 1 |

### CONNECTIVITY

|         |   |
|---------|---|
| USB 3.2 | 2 |
|---------|---|

### NETWORKING

|                |           |
|----------------|-----------|
| Ethernet       | 1000 Mbps |
| Ethernet Ports | 2         |

### POWER

|              |                                              |
|--------------|----------------------------------------------|
| DC Voltage   | 12 Volts                                     |
| DC Current   | 5 Amps                                       |
| Power Input  | 100~240 Volts AC, 50~60 Hz, 1.5 Amps maximum |
| Cable Length | 2 Metre                                      |

### ENVIRONMENTAL

|                       |                              |
|-----------------------|------------------------------|
| Operating Temperature | 0°C ~ 40°C                   |
| Operating Humidity    | 20% ~ 80% RH, non condensing |
| Certifications        | BIS, RoHS, ISO               |

### PHYSICAL

|                      |                       |
|----------------------|-----------------------|
| Form Factor          | Mini PC               |
| Dimensions           | 198mm × 200mm × 73mm  |
| Packing Dimensions   | 340mm × 235mm × 105mm |
| Weight               | 110 grams             |
| Housing Material     | Steel                 |
| Housing Finish       | Powder Coated         |
| Housing Colour       | Black                 |
| Net and Gross Weight | 1.62kg, 2.04kg        |

### OPERATING SYSTEM

|                  |                                                                                                                                                                                                                                                                                                                                                                   |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operating System | Thinvent® Thinux™ Embedded Linux                                                                                                                                                                                                                                                                                                                                  |
| OS Features      | <p>Chromium and Mozilla Firefox browsers.</p> <p>RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display.</p> <p>Browser based remote management. VNC shadowing.</p> <p>Java, Python and glibc based location application support.</p> <p>LibreOffice and PDF viewer.</p> <p>Multimedia player with MPEG4 support.</p> <p>SIP video and voice over IP.</p> |

## Ordering Information

### PRODUCT CODE

**R-i5\_12l-[RAM]-[SSD]-12\_7-[Wireless]-[OS]-[Accessories]**

|             |                                         |                                         |                                      |                       |
|-------------|-----------------------------------------|-----------------------------------------|--------------------------------------|-----------------------|
| RAM         | <b>4</b> = 4GB DDR4                     | <b>8</b> = 8GB DDR4                     | <b>16</b> = 16GB DDR4                | <b>32</b> = 32GB DDR4 |
|             | <b>32_32</b> = 64GB DDR4 RAM (2 x 32GB) | <b>16_16</b> = 32GB DDR4 RAM (2 x 16GB) | <b>8_8</b> = 16GB DDR4 RAM (2 x 8GB) |                       |
| SSD         | <b>m128</b> = 128GB                     | <b>m256</b> = 256GB                     | <b>m1024</b> = 1TB                   |                       |
|             | <b>m512</b> = 512GB                     | <b>S32</b> = 32GB MLC                   | <b>S256</b> = 256GB                  |                       |
| Wireless    | <b>m</b> = Dual Band WiFi               | <b>X</b> = No WiFi                      |                                      |                       |
|             |                                         |                                         |                                      |                       |
| OS          | <b>DOS</b> = DOS                        | <b>W_OS</b> = Without OS                |                                      |                       |
|             | <b>11V</b> = Windows 11 IoT Value       | <b>11P</b> = Windows 11 Pro             |                                      |                       |
|             | <b>110</b> = Windows 11 Professional    | <b>Thinix</b> = Thinix™ Embedded Linux  |                                      |                       |
|             | <b>U</b> = Ubuntu Linux                 |                                         |                                      |                       |
| Accessories | <b>0</b> = None                         | <b>KM</b> = Keyboard and Mouse set      |                                      |                       |
|             | <b>1S</b> = DB9 Serial                  | <b>MK</b> = Mechanical Keyboard         |                                      |                       |
|             | <b>Mo</b> = Wired Optical Scroll Mouse  |                                         |                                      |                       |

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

### R&D and Manufacturing

#11 Sports Complex

Salvador Do Mundo

North Goa - 403101, India

### Sales

UGF-10-A Omaxe Gurgaon Mall

Sector 49, Sohna Road

Gurgaon - 122018, India

