



# Thinvent Neo R/4 Mini PC

## Intel Core i5-1240P processor

12 core, up to 4.4 GHz, 12 MB cache

## Dual LAN

## 4GB DDR4 RAM

## 256GB SSD

## Dual Band WiFi

## Thinux Embedded Linux

## Thinvent Keyboard and Mouse set

SKU: R-I5\_12L-4-M256-12\_7-M-THINUX-KM



The powerhouse that fits in the palm of your hand.

### Engineered for the modern workplace

Unleash seamless productivity and robust connectivity in a remarkably compact form. The Thinvent® Neo R/4 is your all-in-one solution for demanding business environments, delivering industrial-grade reliability without the bulk.

### Perfect for

- Digital signage and interactive kiosks that demand flawless, 24/7 operation.
- Centralised office workstations, reducing desk clutter while providing ample power for everyday tasks.
- Secure network gateways and monitoring stations, leveraging its dual LAN for critical connectivity.

- Remote management setups, thanks to its integrated remote access and management tools.

### Why choose the Neo R/4

Its potent processing muscle effortlessly handles multiple applications, from office suites to advanced remote display protocols. The pre-installed Thinux™ operating system offers a stable, secure, and ready-to-work platform straight out of the box, complete with essential productivity and development software. Built with a rugged steel housing, it's designed to endure in environments where ordinary PCs falter. Simplify your IT deployment with a complete, compact system that arrives with everything you need to get started immediately.



## Specifications

### PROCESSING

---

Generation	12th
Series	i5
Processor Brand	Intel
Processor Model	1240P
Cores	12
Max Frequency	4.4 GHz
Cache	12 MB
Main Memory	4 GB
SSD Storage	256 GB

### DISPLAY

---

HDMI	1
VGA	1

### AUDIO

---

Speaker Out	1
Mic In	1

### CONNECTIVITY

---

USB 3.2	2
---------	---

### NETWORKING

---

Ethernet	1000 Mbps
Ethernet Ports	2
Wireless Networking	Wi-Fi 5 (802.11ac), dual band

### POWER

---

DC Voltage	12 Volts
DC Current	7 Amps
Power Input	100~275 Volts AC, 50~60 Hz, 1.5 Amps maximum
Cable Length	2 Metre

### ENVIRONMENTAL

---

Operating Temperature	0°C ~ 40°C
Operating Humidity	20% ~ 80% RH, non condensing
Certifications	BIS, RoHS, ISO

### PHYSICAL

---

Form Factor	Mini PC
Dimensions	198mm × 200mm × 73mm
Packing Dimensions	340mm × 235mm × 105mm
Weight	110 grams
Housing Material	Steel
Housing Finish	Powder Coated
Housing Colour	Black
Net and Gross Weight	2.23kg, 2.65kg

### ACCESSORIES

---

Keyboard and Mouse	1
--------------------	---

### OPERATING SYSTEM

---

Operating System	Thinvent® Thinux™ Embedded Linux
OS Features	Chromium and Mozilla Firefox browsers. RDP 10 (RemoteFX, H.264/AVC), Putty and SSH for remote display. Browser based remote management. VNC shadowing. Java, Python and glibc based location application support. LibreOffice and PDF viewer. Multimedia player with MPEG4 support. SIP video and voice over IP.



## Ordering Information

### PRODUCT CODE

**R-i5\_12l-[RAM]-[SSD]-12\_7-[Wireless]-[OS]-[Accessories]**

<b>RAM</b>	<b>4</b> = 4GB DDR4	<b>8</b> = 8GB DDR4	<b>16</b> = 16GB DDR4	<b>32</b> = 32GB DDR4
	<b>64</b> = 64GB DDR4			
<b>SSD</b>	<b>m128</b> = 128GB		<b>m256</b> = 256GB	
	<b>m32</b> = 32GB		<b>m512</b> = 512GB	
	<b>m1024</b> = 1TB		<b>S32</b> = 32GB MLC	
	<b>S128</b> = 128GB		<b>S256</b> = 256GB	
<b>Wireless</b>	<b>m</b> = Dual Band WiFi		<b>X</b> = No WiFi	
<b>OS</b>	<b>DOS</b> = DOS		<b>W_OS</b> = Without OS	
	<b>11V</b> = Windows 11 IoT Value		<b>11P</b> = Windows 11 Pro	
	<b>Thinix</b> = Thinix™ Embedded Linux		<b>U</b> = Ubuntu Linux	
<b>Accessories</b>	<b>0</b> = None		<b>KM</b> = Keyboard and Mouse set	
	<b>1S</b> = DB9 Serial		<b>MK</b> = Mechanical Keyboard	
	<b>Mo</b> = Wired Optical Scroll Mouse			

[www.thinvent.in](http://www.thinvent.in)

[sales@thinvent.in](mailto:sales@thinvent.in)

+91-11-430-77467

 +91-99903-44251

**R&D and Manufacturing**  
 #11 Sports Complex  
 Salvador Do Mundo  
 North Goa - 403101, India

**Sales**  
 UGF-10-A Omaxe Gurgaon Mall  
 Sector 49, Sohna Road  
 Gurgaon - 122018, India

